SCIENTIFIC ANALYTICAL LABORATORIES TESTS

EXHIBIT "LAB"

WETLAB
WESTERN ENVIRONMENTAL TESTING LABORATORY
Sample Receiving Check

Customer: Contaminated Realty
Contact: Personal Privacy 6
OrderID: 1506434
PO: Victims Town of Hinkley
ProjectID:

Date Received: 6/15/2015
Time Received: 9:00
Order Due Date: 6/29/2015
Temperature Upon Receipt: 9.0C Cooler + wet ice

WETLab SampleNumber: 1506434-001 ***Customer SampleNumber: #1 Aquifier*** ***Sample Date/Time: 5/18/2015 8:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Uranium

WETLab SampleNumber: 1506434-002 ***Customer SampleNumber: #2 Aquifier*** ***Sample Date/Time: 5/18/2015 8:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-003 ***Customer SampleNumber: #3 Aquifier*** ***Sample Date/Time: 5/18/2015 9:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-004 ***Customer SampleNumber: #6 Aquifier*** ***Sample Date/Time: 5/18/2015 9:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-005 ***Customer SampleNumber: #7 Aquifier*** ***Sample Date/Time: 5/18/2015 10:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-006 ***Customer SampleNumber: #8 Aquifier*** ***Sample Date/Time: 5/18/2015 10:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-007 ***Customer SampleNumber: #10 Aquifier*** ***Sample Date/Time: 5/18/2015 11:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Uranium

WETLab SampleNumber: 1506434-008 ***Customer SampleNumber: #11 Aquifier*** ***Sample Date/Time: 5/18/2015 11:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-009 ***Customer SampleNumber: #12 Aquifier*** ***Sample Date/Time: 5/18/2015 1:30:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-010 ***Customer SampleNumber: #13 Aquifier*** ***Sample Date/Time: 5/18/2015 2:00:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-011 ***Customer SampleNumber: #14 Aquifier*** ***Sample Date/Time: 5/18/2015 2:30:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-012 ***Customer SampleNumber: #16 Aquifier*** ***Sample Date/Time: 5/18/2015 3:00:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-013 ***Customer SampleNumber: #19 Aquifier*** ***Sample Date/Time: 5/19/2015 8:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-014 ***Customer SampleNumber: #21 Aquifier*** ***Sample Date/Time: 5/19/2015 8:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-015 ***Customer SampleNumber: #22 Aquifier*** ***Sample Date/Time: 5/19/2015 9:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-016 ***Customer SampleNumber: #23 Aquifier*** ***Sample Date/Time: 5/19/2015 9:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Uranium

WETLab SampleNumber: 1506434-017 ***Customer SampleNumber: #24 Aquifier*** ***Sample Date/Time: 5/19/2015 10:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Uranium

WETLab SampleNumber: 1506434-018 ***Customer SampleNumber: #25 Aquifier*** ***Sample Date/Time: 5/19/2015 10:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Uranium

WETLab SampleNumber: 1506434-019 ***Customer SampleNumber: #26 Aquifier*** ***Sample Date/Time: 5/19/2015 11:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: 1506434-020 ***Customer SampleNumber: #27 Aquifier*** ***Sample Date/Time: 5/19/2015 11:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8
Arsenic

WETLab SampleNumber: ***1506434-021*** ***Customer SampleNumber:*** ***#28 Aquifier*** ***Sample Date/Time:*** ***5/19/2015*** ***1:30:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: ***1506434-022*** ***Customer SampleNumber:*** ***#29 Aquifier*** ***Sample Date/Time:*** ***5/19/2015*** ***2:00:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: ***1506434-023*** ***Customer SampleNumber:*** ***#30 Aquifier*** ***Sample Date/Time:*** ***5/19/2015*** ***2:30:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: ***1506434-024*** ***Customer SampleNumber:*** ***#33 Aquifier*** ***Sample Date/Time:*** ***5/19/2015*** ***3:00:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: ***1506434-025*** ***Customer SampleNumber:*** ***#37 Aquifier*** ***Sample Date/Time:*** ***5/20/2015*** ***8:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: ***1506434-026*** ***Customer SampleNumber:*** ***#38 Aquifier*** ***Sample Date/Time:*** ***5/20/2015*** ***8:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Uranium

WETLab SampleNumber: ***1506434-027*** ***Customer SampleNumber:*** ***#39 Aquifier*** ***Sample Date/Time:*** ***5/20/2015*** ***9:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-028 ***Customer SampleNumber: #51 Aquifier*** ***Sample Date/Time: 5/20/2015 9:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-029 ***Customer SampleNumber: #53 Aquifier*** ***Sample Date/Time: 5/20/2015 10:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-030 ***Customer SampleNumber: #57 Aquifier*** ***Sample Date/Time: 5/20/2015 10:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-031 ***Customer SampleNumber: #58 Aquifier*** ***Sample Date/Time: 5/20/2015 11:00:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-032 ***Customer SampleNumber: #61 Aquifier*** ***Sample Date/Time: 5/20/2015 11:30:00 AM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-033 ***Customer SampleNumber: #62 Aquifier*** ***Sample Date/Time: 5/20/2015 1:30:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-034 ***Customer SampleNumber: #78 Aquifier*** ***Sample Date/Time: 5/20/2015 2:00:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLab SampleNumber: 1506434-035 ***Customer SampleNumber: #88 Aquifier*** ***Sample Date/Time: 5/20/2015 2:30:00 PM***

[ICPMS Metals (200.8)]

Method: EPA 200.8

Arsenic

WETLAB
WESTERN ENVIRONMENTAL TESTING LABORATORY
Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com
tel (775) 355-0202 | fax (775) 355-0817
1094 Lamoille Highway | Elko, Nevada 89801
tel (775) 777-9833 | fax (775) 777-9833
3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102
tel (702) 475-8899 | fax (702) 776-6152

WETLAB Order ID. _____
Sparks Control # _____
Elko Control # _____
LV Control # 315060065
Report Due Date
Page 1 of 4

Client VICTIMS TOWN OF HINKLEY
Address Personal Privacy 6
City, State & Zip BARSTOW, CA 92311
Contact THE VICTIMS
Phone Personal Privacy 6 Collector's Name Personal Privacy 6
Fax PWS/Project Name
P.O. Number PWS/Project Number
Email

Standard X
5 Day* (25%) _____ 72 Hour* (50%) _____
48 Hour* (100%) _____ 24 Hour* (200%) _____
*Surcharges Will Apply

NV ___ CA X Other ___
PDF EDD Other ___
Yes No
Yes No
Yes No

Company N/A (PAID ALL IN CASH)
Address _____
City, State & Zip _____
Contact _____
Phone _____ Fax _____
Email _____

						URANIUM	ARSENIC	ARSENIC	ARSENIC	ARSENIC	ARSENIC	URANIUM	ARSENIC	ARSENIC	Spl. No.	
#1	AQUIFER	5/18/15	8 AM	X	DW	1	J								1	1
#2	AQUIFER	5/18/15	8:30 AM	X	DW	1									2	2
#3	AQUIFER	5/18/15	9 AM	X	DW	1									3	3
#6	AQUIFER	5/18/15	9:30 AM	X	DW	1									6	4
#7	AQUIFER	5/18/15	10 AM	X	DW	1									7	5
#8	AQUIFER	5/18/15	10:30 AM	X	DW	1									8	6
#10	AQUIFER	5/18/15	11 AM	X	DW	1									10	7
#11	AQUIFER	5/18/15	11:30 AM	X	DW	1									11	8
#12	AQUIFER	5/18/15	1:30 PM	X	DW	1									12	9

Instructions/Comments/Special Requirements:

546.00 paid in cash 6-15-15

(DW) = Drinking Water WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: _____

*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl (5=HNO3) 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Vial

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
9.0°C	Y N (None)	35	6-15-15	0900		
°C	Y N None	35	6-15-15	1530		Ontrac
°C	Y N None					
°C	Y N None					

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0836). ___ initial

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. ___ initial

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. Please contact your Project Manager for details. ___ initial

301.2E

WETLAB
WESTERN ENVIRONMENTAL TESTING LABORATORY *Specializing in Soil, Hazardous Waste and Water Analysis.*

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com
tel (775) 355-0202 | fax (775) 355-0817
1084 Lamoille Highway | Elko, Nevada 89801
tel (775) 777-8933 | fax (775) 777-8933
3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102
tel (702) 475-8899 | fax (702) 776-8152

WETLAB Order ID. _____
Sparks Control # _____
Elko Control # _____
LV Control # _____
Report Due Date

Client VICTIMS TOWN OF HINKLEY
Address Personal Privacy 6
City, State & Zip BARSTOW, CA 92311
Contact THE VICTIMS
Phone Personal Privacy 6 Collector's Name Personal Privacy 6
Fax PWS/Project Name
P.O. Number PWS/Project Number
Email

Standard X
5 Day* (25%) _____ 72 Hour* (50%) _____
48 Hour* (100%) _____ 24 Hour* (200%) _____
*Surcharges Will Apply

NV ___ CA X Other ___
(Yes) No
Yes No

PDF EDD Other _____
Yes No

Company N/A (PAID ALL IN CASH)
Address
City, State & Zip
Contact
Phone Fax
Email

							ARSENIC	ARSENIC	ARSENIC	ARSENIC	ARSENIC	URANIUM	URANIUM	Uranium	Spl. No.
#13 AQUIFER	5/18/15	2 PM	*	DW	+										13
#14 AQUIFER	5/18/15	2:30 PM	*	DW	+										14
#16 AQUIFER	5/18/15	3 PM	*	DW	+										16
#19 AQUIFER	5/19/15	8:30 AM	*	DW	+										19
#21 AQUIFER	5/19/15	8:30 AM	*	DW	+										21
#22 AQUIFER	5/19/15	9 AM	*	DW	+										22
#23 AQUIFER	5/19/15	9:30 AM	*	DW	+										23
#24 AQUIFER	5/19/15	10 AM	*	DW	+										24
#25 AQUIFER	5/19/15	10:30 AM	*	DW	+										25

Instructions/Comments/Special Requirements:

$546.00 paid in cash 06-15-15

DW = Drinking Water WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: _____

*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl 5=HNO3 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Vial

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
9.0°C	Y N None	35	6-15-15	0900		
°C	Y N None	35	6-15-15	1530		Ontrac
°C	Y N None					
°C	Y N None					

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636). ___ initial

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. ___ initial

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. Please contact your Project Manager for details. ___ initial

301.2E

WETLAB
WESTERN ENVIRONMENTAL TESTING LABORATORY
Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com
tel (775) 355-0202 | fax (775) 355-0817
1084 Lamoille Highway | Elko, Nevada 89801
tel (775) 777-9933 | fax (775) 777-9933
3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102
tel (702) 475-8899 | fax (702) 776-8152

WETLAB Order ID. _____
Sparks Control # _____
Elko Control # _____
LV Control # _____
Report Due Date _____
Page 3 of 4

Client: VICTIMS TOWN OF HINKLEY
Address: Personal Privacy 6 (Personal Privacy 6)
City, State & Zip: BARSTOW, CA 92311
Contact: THE VICTIMS
Phone: Personal Privacy 6 | Collector's Name: Personal Privacy 6
Fax | PWS/Project Name
P.O. Number | PWS/Project Number
Email

Standard X
5 Day* (25%) ____ 72 Hour* (50%) ____
48 Hour* (100%) ____ 24 Hour* (200%) ____
*Surcharges Will Apply

NV ____ CA X Other ____
Yes / (No)
Yes / (No)
(PDF) EDD
Other ____
Yes No
Yes No

Company: N/A (PAID ALL IN CASH)
Address
City, State & Zip
Contact
Phone ____ Fax ____
Email

															Spl. No.
#26	AQUIFER	5/19/15	11 AM	*	DW	1	ARSENIC								26
#27	AQUIFER	5/19/15	11:30 AM	*	DW	1	ARSENIC								27
#28	AQUIFER	5/19/15	1:30 PM	*	DW	1	ARSENIC								28
#29	AQUIFER	5/19/15	2 PM	*	DW	1	ARSENIC								29
#30	AQUIFER	5/19/15	2:30 PM	*	DW	1	ARSENIC								30
#33	AQUIFER	5/19/15	3 PM	*	DW	1	ARSENIC								33
#37	AQUIFER	5/20/15	8 AM	*	DW	1	ARSENIC								37
#38	AQUIFER	5/20/15	8:30 AM	*	DW	1	ARSENIC								38
#39	AQUIFER	5/20/15	9 AM	*	DW	1	ARSENIC								39

Instructions/Comments/Special Requirements: $546.00 paid in cash 6-05-15

(DW = Drinking Water) WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: _____

*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl 5=HNO3 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Vial

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
9.0°C	Y N (None)	35	6-5-15	0900		
°C	Y N None	35	6-5-15	1530		Ontrac
°C	Y N None					
°C	Y N None					

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636). ____ initial

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. ____ initial

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. Please contact your Project Manager for details. ____ initial

301.2E

WETLAB
WESTERN ENVIRONMENTAL TESTING LABORATORY
Specializing in Soil, Hazerdous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com
tel (775) 355-0202 | fax (775) 355-0817
1084 Lamolle Highway | Elko, Nevada 89801
tel (775) 777-8933 | fax (775) 777-9933
3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102
tel (702) 475-8899 | fax (702) 776-8152

WETLAB Order ID. _____
Sparks Control # _____
Elko Control # _____
LV Control # _____
Report Due Date
Page 4 of 4

Client: VICTIMS TOWN OF HINKLEY
Address: Personal Privacy 6
City, State & Zip: BARSTOW, CA 92311
Contact: THE VICTIMS
Phon: Personal Privacy 6
Fax
P.O. Number
Email

Collector's Name
PWS/Project Name
PWS/Project Number

Standard X
5 Day* (25%) ____ 72 Hour* (50%) ____
48 Hour* (100%) ____ 24 Hour* (200%) ____
*Surcharges Will Apply

NV ____ CA X Other ____
Yes No
Yes No
PDF EDD Other ____
Yes No

Company: N/A (PAID ALL IN CASH)
Address
City, State & Zip
Contact
Phone Fax
Email

							Spl. No.	
#51 AQUIFER	5/20/15	9:30 AM	*	DW	1	ARSENIC	51	28
#53 AQUIFER	5/20/15	10 AM	*	DW	1	ARSENIC	53	29
#57 AQUIFER	5/20/15	10:30 AM	*	DW	1	ARSENIC	57	30
#58 AQUIFER	5/20/15	11 AM	*	DW	1	ARSENIC	58	31
#61 AQUIFER	5/20/15	11:30 AM	*	DW	1	ARSENIC	61	32
#62 AQUIFER	5/20/15	1:30 PM	*	DW	1	ARSENIC	62	33
#78 AQUIFER	5/20/15	2 PM	*	DW	1	ARSENIC	78	34
#88 AQUIFER	5/20/15	2:30 PM	*	DW	1	ARSENIC	80	37
			*		1			

Instructions/Comments/Special Requirements: $546.00 paid in cash 06-15-15

DW = Drinking Water WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: _____

*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl 5=HNO3 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Vial

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
9.0 °C	Y N None	35	6-15-15	0900		
°C	Y N None	35	6-15-15	1530		
°C	Y N None					
°C	Y N None					

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636). ____ initial

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. ____ initial

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. Please contact your Project Manager for details. ____ initial

301.2E

POISONED AQUIFERS WITH ARSENIC AND URANIUM, ENTIRE TOWN OF HINKLEY, CA 92347

POISONED WITH / CONCENTRATION	LATIDUDE COORDINATES	LONGITUDE COORDINATES	AQUIFER #
URANIUM AT 70 pCi/L	34° 55' 58.20" N	117° 11' 55.46" W	1
ARSENIC AT 2,500 ppb	34° 54' 27.22" N	117° 10' 34.43" W	2
ARSENIC 130 ppb	34° 54' 41.49" N	117° 11' 16.92" W	3
ARSENIC AT 740 ppb Alleged area coordinates (applicable) therefrom adjacent area coordinates	 34° 55' 45.35" N 34° 56' 09.70" N	 117° 07' 21.99" W 117° 08' 08.19" W	 6 88
ARSENIC AT 19 ppb	34° 55' 00.10" N	117° 13' 04.58" W	7
ARSENIC AT 270 ppb	34° 55' 59.31" N	117° 11' 57.13" W	8
URANIUM AT 35 pCi/L	34° 54' 40.11" N	117° 07' 07.49" W	10
ARSENIC AT 57 ppb	35° 00' 56.45" N	117° 12' 13.30" W	11
ARSENIC AT 34 ppb	35° 01' 43.44" N	117° 11' 51.61" W	12
ARSENIC AT 9.9 ppb	43° 56' 12.41" N	117° 14' 00.13" W	13
ARSENIC AT 350 ppb	35° 01' 55.43" N	117° 12" 19.21" W	14
ARSENIC AT 140 ppb	35° 01' 46.10" N	117° 12' 27.24" W	16
ARSENIC AT 73 ppb	34° 55' 24.01" N	117° 13' 15.34" W	19
ARSENIC AT 19 ppb	34° 56' 17.58" N	117° 09' 05.62" W	21
URANIUM AT 49 ug/L	34° 55' 12.82" N	117° 12' 39.47" W	22
URANIUM AT 70 pCi/L Alleged area coordinates (applicable) therefrom adjacent area coordinates	 34° 55' 46.32" N 34° 55' 58.20" N	 117° 11' 50.31" W 117° 11' 55.46" W	 1 23
URANIUN AT 49 ug/L	34° 55' 12.82" N	117° 12' 39.47" W	24
URANIUM AT 49 ug/L	34° 55' 12.82" N	117° 12' 39.47" W	25

POISONED AQUIFERS WITH ARSENIC AND URANIUM, ENTIRE TOWN OF HINKLEY, CA 92347

POISONED WITH / CONCENTARTION	LATIDUDE COORDINATES	LONGITUDE COORDINATES	AQUIFER #
ARSENIC AT 19 ppb	34° 59' 44.96" W	117° 12' 26.32" W	26
ARSENIC AT 470 ppb	34° 55' 40.25" N	117° 12' 12.61" W	27
ARSENIC AT 46 ppb	34° 55' 10.12" N	117° 13' 05.60" W	28
ARSENIC AT 150 ppb	34° 55' 04.54" N	117° 13' 04.59" W	29
ARSENIC AT 79 ppb	35° 02' 39.28" N	117° 12' 09.67" W	30
ARSENIC AT 19 ppb	34° 55' 06.02" N	117° 08' 37.94" W	33
ARSENIC AT 210 ppb	34° 56' 30.76" N	117° 10' 57.21" W	37
URANIUM AT 49 ug/L	34° 55' 12.82" N	117° 12' 39.47" W	38
ARSENIC AT 76 ppb	34° 54' 34.68" N	117° 11' 07.73" W	39
ARSENIC AT 11	34° 54' 41.74" N	117° 11' 12.13" W	51
ARSENIC AT 120 ppb	34° 56' 13.98" N	117° 11' 13.27 W	53
ARSENIC AT 140 ppb	34° 56' 20.65" N	117° 11' 09.40" W	57
ARSENIC AT 54 ppb	34° 56' 31.21" N	117° 11' 17.40" W	58
ARSENIC AT 24 ppb	34° 55' 32.75" N	117° 07' 07.86" W	61
ARSENIC AT 13 ppb	34° 51' 09.81" N	117° 11' 42.47" W	62
ARSENIC AT 30 ppb	34° 56' 10.70" N	117° 12' 00.25" W	78
ARSENIC AT 740 ppb	34° 56' 09.70" N 34° 55' 46.44" N	117° 08' 08.17" W 117° 07' 39.28" W	88
ppb – parts per billion for Arsenic	pCi/L - picocurie per liter and	ug/L – microgram per liter	for Uranium

POISONED AQUIFERS WITH ARSENIC AND URANIUM, ENTIRE TOWN OF HINKLEY, CA 92347

Testing results provided by the scientific and state certified analytical laboratories: Clinical Laboratory of San Bernardino, Inc.; WECK Laboratories, Inc.; Western Environmental Testing Laboratory, Recent.

Personal Privacy 6

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Western Environmental Testing Laboratory
QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC15010189	Blank 1	Arsenic	EPA 200.8	0.0015	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC15010189	LCS 1	Arsenic	EPA 200.8	0.0528	0.050	106	mg/L

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC15010189	MS 1	Arsenic	EPA 200.8	1412779-001	ND	0.0536	0.0536	0.050	mg/L	103	103	<1%

Customer Sample ID: Velazques **Collect Date/Time:** 12/16/2014 16:00
WETLAB Sample ID: 1412761-002 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	24	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

Customer Sample ID: DO-Y.K **Collect Date/Time:** 12/16/2014 14:00
WETLAB Sample ID: 1412761-003 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	740	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

Customer Sample ID: DW-22-53 **Collect Date/Time:** 12/16/2014 08:45
WETLAB Sample ID: 1412761-004 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	37	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

EXHIBIT A

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 522-2868
EPA LAB ID: NV00932

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/09/14 08:37
Received Date: 08/28/14 13:32

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Fax:

Attn: Personal Privacy 6

P.O.#:

Project:

Dear Personal Privacy 6 :

Enclosed are the results of analyses for samples received 8/28/2014 with the Chain of Custody document. The samples were received in good condition, at 4.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4H28040-01 **Sample ID: Chromium (VI) #7** **Matrix: Water**
Sampled by: Jack Rosen **Sampled: 08/27/14 16:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	1.9		ug/l	0.30	1	EPA 218.6	09/03/14 10:00	09/03/14 15:37	cwh	W4I0098

Work Order No: 4H28040-02 **Sample ID: Uranium #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	8.5		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:40	rrl	W4I0209

Work Order No: 4H28040-03 **Sample ID: Uranium #19** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	49		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:42	rrl	W4I0209

Work Order No: 4H28040-04 **Sample ID: Uranium #38** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	17		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:45	rrl	W4I0209

Work Order No: 4H28040-05 **Sample ID: Uranium #39** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	16		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:47	rrl	W4I0209

Work Order No: 4H28040-06 **Sample ID: Uranium #28** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:35** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	19		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:59	rrl	W4I0209

Work Order No: 4H28040-07 **Sample ID: Uranium #21** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	30		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 15:14	rrl	W4I0209

Lab#: 4H28040-09

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Personal Privacy 6
Personal Privacy 6
Barstow CA, 92311

Project: Routine
Sub Project: Toxic Tort Towns / Hinkley
Project Manager: Personal Privacy 6

Work Order: 14H0183
Received: 08/04/14 17:05
Reported: 08/19/14

Personal Privacy 6

14H0183-08 (Water) **Sample Date:** 07/26/14 15:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	19	ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	270	ug/L	20	10	08/15/14	08/18/14	1433586	

HO Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	350	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-11 (Water)** **Sample Date:** 07/30/14 14:30 **Sampler:** Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	ND	ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	140	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-13 (Water)** **Sample Date:** 07/31/14 10:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	66	ug/L	4.0	10	08/15/14	08/18/14	1433586	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	470	ug/L	20	10	08/15/14	08/18/14	1433586	

EXHIBIT
~~6-7/L-8~~
~~6-14/L-3~~
~~6-27/L-8~~

Exhibit "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/20/14 14:06
Received Date: 10/07/14 12:50

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: 6 workdays

Phone: Personal Privacy 6

Attn: Personal Privacy 6

Fax:

Project: Arsenic Testing

P.O.#:

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/7/2014 with the Chain of Custody document. The samples were received in good condition, at 1.3 °C and on Ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J07046-01 **Sample ID:** #16 Brown **Matrix:** Water
Sampled by: Personal Priv **Sampled:** 10/04/14 10:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	120		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:03	rrl	W4J0456

Work Order No: 4J07046-02 **Sample ID:** Ken Nitao **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 11:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	76		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:08	rrl	W4J0456

ork Order No: 4J07046-03 **Sample ID:** #39 Jenkins **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 13:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	3.9		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:12	rrl	W4J0456

Work Order No: 4J07046-04 **Sample ID:** #13 Corby **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 13:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	4.8		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:29	rrl	W4J0456

Work Order No: 4J07046-05 **Sample ID:** #28 Charles Matthiesen **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 14:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	210		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:34	rrl	W4J0456

Work Order No: 4J07046-06 **Sample ID:** #37 Ramirez **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 14:45 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	11		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:38	rrl	W4J0456

Work Order No: 4J07046-07 **Sample ID:** #51 Rebeling **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 16:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	38		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:55	rrl	W4J0456

Lab#: 4J07046-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/09/14 08:37
Received Date: 08/28/14 13:32

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Fax:

Attn: Personal Privacy 6

P.O.#:

Project:

Dear Personal Privacy 6 :

Enclosed are the results of analyses for samples received 8/28/2014 with the Chain of Custody document. The samples were received in good condition, at 4.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4H28040-01 **Sample ID: Chromium (VI) #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 16:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	1.9		ug/l	0.30	1	EPA 218.6	09/03/14 10:00	09/03/14 15:37	cwh	W4I0098

Work Order No: 4H28040-02 **Sample ID: Uranium #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	8.5		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:40	rrl	W4I0209

Work Order No: 4H28040-03 **Sample ID: Uranium #19** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	49		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:42	rrl	W4I0209

Work Order No: 4H28040-04 **Sample ID: Uranium #38** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	17		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:45	rrl	W4I0209

Work Order No: 4H28040-05 **Sample ID: Uranium #39** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	16		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:47	rrl	W4I0209

Work Order No: 4H28040-06 **Sample ID: Uranium #28** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:35** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	19		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:59	rrl	W4I0209

Work Order No: 4H28040-07 **Sample ID: Uranium #21** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	30		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 15:14	rrl	W4I0209

Lab#: 4H28040-09

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Callahan & Blaine	Project: Drinking Water	Work Order: 13H1419
3 Hutton Centre Drive, Ninth Floor	Sub Project: Irving	Received: 08/16/13 11:55
Santa Ana CA, 92707	Project Manager: Personal Privacy 6	Reported: 09/03/13

Irving **13H1419-01 (Water)** **Sample Date:** 08/16/13 8:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MDL	MCL	Prepared	Analyzed	Batch	Qualifier
Metals										
Arsenic (As)	SM3113-B	**30**	ug/L	2.0	0.68	10	08/22/13	08/22/13	1334349	
Chromium (+6)	EPA 218.6	**1.3**	ug/L	1.0	0.14		08/16/13	08/19/13	1334014	
Radiochemistry Analyses										
Gross Beta	EPA 900.0	**15**	pCi/L	4.0		50	08/19/13	08/26/13	1330379	
Gross Beta Counting Error	EPA 900.0	**3.2**	pCi/L				08/19/13	08/26/13	1330379	
Gross Beta Min Det Activity	EPA 900.0	**2.2**	pCi/L				08/19/13	08/26/13	1330379	
Uranium	EPA 908.0	**70**	pCi/L	1.0		20	08/20/13	08/20/13	1333313	
Uranium Counting Error	EPA 908.0	**3.5**	pCi/L				08/20/13	08/20/13	1333313	
Uranium Min Det Activity	EPA 908.0	**0.88**	pCi/L				08/20/13	08/20/13	1333313	

J Detected below the Reporting Limit; reported concentration is estimated; (J-Flag)

ND Analyte NOT DETECTED at or above the MDL; Method Detection Limit

Robin Glenney
Project Manager

EXHIBIT "A-E
ANNETTE A-11

Post Office Box 329 San Bernardino, CA 92402 (909) 825-7693 Fax (909) 825-7696 ELAP Number 1088

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Personal Privacy 6	Project: Routine	Work Order: 14H0251
Personal Privacy 6	Sub Project: Hinkley	Received: 08/06/14 08:20
Barstow CA, 92311	Project Manager: Nick Panchev	Reported: 08/28/14

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	73	ug/L	4.0	10	08/20/14	08/20/14	1434256	
Chromium (+6)	EPA 218.6	ND	ug/L	1.0	10	08/06/14	08/07/14	1432413	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	19	ug/L	2.0	10	08/11/14	08/11/14	1433025	
Chromium (+6)	EPA 218.6	ND	ug/L	1.0	10	08/06/14	08/07/14	1432413	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	740	ug/L	50	10	08/20/14	08/20/14	1434256	
Chromium (+6)	EPA 218.6	ND	ug/L	1.0	10	08/06/14	08/07/14	1432413	

Personal Privacy 6 **14H0251-04 (Water)** **Sample Date:** 08/05/14 13:43 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	ND	ug/L	2.0	10	08/11/14	08/11/14	1433025	
Chromium (+6)	EPA 218.6	ND	ug/L	1.0	10	08/06/14	08/07/14	1432413	

ND Analyte NOT DETECTED at or above the reporting limit

Robin Glenney

Project Manager

Post Office Box 329 San Bernardino, CA 92402 (909) 825-7693 Fax (909) 825-7696 ELAP Number 1088

Exhibit "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Personal Privacy 6	Project: Routine	Work Order: 14H0183
25633 Anderson Ave	Sub Project: Toxic Tort Towns / Hinkley	Received: 08/04/14 17:05
Barstow CA, 92311	Project Manager: Personal Privacy 6	Reported: 08/19/14

TOLEDO **14H0183-08 (Water)** **Sample Date:** 07/26/14 15:30 **Sampler:** Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	19	ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	270	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-10 (Water)** **Sample Date:** 07/30/14 14:00 **Sampler:** Personal Priva

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	350	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-11 (Water)** **Sample Date:** 07/30/14 14:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	ND	ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Pri **14H0183-12 (Water)** **Sample Date:** 07/30/14 16:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	140	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-13 (Water)** **Sample Date:** 07/31/14 10:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	66	ug/L	4.0	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-14 (Water)** **Sample Date:** 07/31/14 10:30 **Sampler:** Personal Priva

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	470	ug/L	20	10	08/15/14	08/18/14	1433586	

~~EXHIBIT~~

~~L-7/L-8~~

~~L-14/L-35~~

~~L-27/L-89~~

Exhibit "A"

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Western Environmental Testing Laboratory
Analytical Report

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy
Phone: Personal Privacy 6 **Fax:**
PO\Project: *31411074/TOSIC TORT TOWNS*

Date Printed: 12/5/2014
OrderID: *1411453*

Customer Sample ID: HAWES #11 **Collect Date/Time:** 11/13/2014 13:05
WETLAB Sample ID: 1411453-001 **Receive Date:** 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	57	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/13/2014 13:30
WETLAB Sample ID: 1411453-002 **Receive Date:** 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	46	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/13/2014 14:00
WETLAB Sample ID: 1411453-003 **Receive Date:** 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	9.8	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/13/2014 15:00
WETLAB Sample ID: 1411453-004 **Receive Date:** 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	19	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-0933
fax (775) 777-0939
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2888
EPA LAB ID: NV00932

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/31/14 12:34
Received Date: 10/14/14 12:15

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Attn: Personal Privacy 6

Fax:

Project: Drinking water

P.O.#:

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/14/2014 with the Chain of Custody document. The samples were received in good condition, at 1.0 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J14041-01 **Sample ID:** #61 Velasquez **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 09:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	54		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:01	rrl	W4J1182

Work Order No: 4J14041-02 **Sample ID:** #58 Matsue **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 10:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	150		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:05	rrl	W4J1182

Work Order No: 4J14041-03 **Sample ID:** #29 David Matthiesen **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 11:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	20		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:09	rrl	W4J1182

Work Order No: 4J14041-04 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 11:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	79		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:14	rrl	W4J1182

Work Order No: 4J14041-05 **Sample ID:** # 30 Carrera **Matrix:** Water
Sampled by: Client **Sampled:** 10/13/14 12:10 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	5.5		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:18	rrl	W4J1182

Work Order No: 4J14041-06 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 12:50 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium Rad	12		pCi/L	0.13	1	EPA 200.8	10/23/14 11:51	10/24/14 17:23	rrl	W4J1183

Work Order No: 4J14041-07 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 16:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	10/16/14 09:50	10/16/14 19:38	hmt	W4J0792

Case Narrative:

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/09/14 08:37
Received Date: 08/28/14 13:32

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Fax:

Attn: Personal Privacy 6

P.O.#:

Project:

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 8/28/2014 with the Chain of Custody document. The samples were received in good condition, at 4.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4H28040-01 **Sample ID: Chromium (VI) #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 16:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	1.9		ug/l	0.30	1	EPA 218.6	09/03/14 10:00	09/03/14 15:37	cwh	W4I0098

Work Order No: 4H28040-02 **Sample ID: Uranium #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	8.5		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:40	rrl	W4I0209

Work Order No: 4H28040-03 **Sample ID: Uranium #19** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	49		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:42	rrl	W4I0209

Work Order No: 4H28040-04 **Sample ID: Uranium #38** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	17		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:45	rrl	W4I0209

Work Order No: 4H28040-05 **Sample ID: Uranium #39** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	16		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:47	rrl	W4I0209

Work Order No: 4H28040-06 **Sample ID: Uranium #28** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:35** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	19		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:59	rrl	W4I0209

Work Order No: 4H28040-07 **Sample ID: Uranium #21** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	30		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 15:14	rrl	W4I0209

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

EXHIBIT "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/31/14 12:34
Received Date: 10/14/14 12:15

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Fax:

P.O.#:

Attn: Personal Pri

Project: Drinking water

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/14/2014 with the Chain of Custody document. The samples were received in good condition, at 1.0 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J14041-01 **Sample ID:** #61 Velasquez **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 09:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	54		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:01	rrl	W4J1182

Work Order No: 4J14041-02 **Sample ID:** #58 Matsue **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 10:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	150		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:05	rrl	W4J1182

ork Order No: 4J14041-03 **Sample ID:** #29 David Matthiesen **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 11:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	20		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:09	rrl	W4J1182

Work Order No: 4J14041-04 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 11:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	79		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:14	rrl	W4J1182

Work Order No: 4J14041-05 **Sample ID:** # 30 Carrera **Matrix:** Water
Sampled by: Client **Sampled:** 10/13/14 12:10 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	5.5		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:18	rrl	W4J1182

Work Order No: 4J14041-06 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 12:50 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium Rad	12		pCi/L	0.13	1	EPA 200.8	10/23/14 11:51	10/24/14 17:23	rrl	W4J1183

Work Order No: 4J14041-07 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 16:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	10/16/14 09:50	10/16/14 19:38	hmt	W4J0792

Case Narrative:

Lab#: 4J14041-07

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.

Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/20/14 14:06
Received Date: 10/07/14 12:50

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: 6 workdays

Phone: Personal Privacy 6

Fax:

Attn: Personal Privacy

P.O.#:

Project: Arsenic Testing

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/7/2014 with the Chain of Custody document. The samples were received in good condition, at 1.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J07046-01 **Sample ID: #16 Brown** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 10:00** **Sample Note:** CONTINUE – See Page 2

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	120		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:03	rrl	W4J0456

Work Order No: 4J07046-02 **Sample ID: Ken Nitao** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	76		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:08	rrl	W4J0456

ork Order No: 4J07046-03 **Sample ID: #39 Jenkins** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	3.9		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:12	rrl	W4J0456

Work Order No: 4J07046-04 **Sample ID: #13 Corby** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 13:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	4.8		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:29	rrl	W4J0456

Work Order No: 4J07046-05 **Sample ID: #28 Charles Matthiesen** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 14:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	210		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:34	rrl	W4J0456

Work Order No: 4J07046-06 **Sample ID: #37 Ramirez** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 14:45** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	11		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:38	rrl	W4J0456

Work Order No: 4J07046-07 **Sample ID: #51 Rebeling** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 16:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	38		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:55	rrl	W4J0456

Lab#: 4J07046-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Work Order No: 4J07046-08 **Sample ID: #57 Ornelas** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 12:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	140		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 16:00	rrl	W4J0456

Case Narrative:

Kim Tu

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
= Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.weckdabs.com

Exhibit 'A'

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Western Environmental Testing Laboratory
Analytical Report

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy 6
Phone: (702) 301-4167 **Fax:**
PO\Project: *31411074/TOSIC TORT TOWNS*

Date Printed: 12/5/2014
OrderID: *1411453*

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-001
Collect Date/Time: 11/13/2014 13:05
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	57	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-002
Collect Date/Time: 11/13/2014 13:30
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	46	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-003
Collect Date/Time: 11/13/2014 14:00
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	9.8	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-004
Collect Date/Time: 11/13/2014 15:00
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	19	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1064 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-0933
fax (775) 777-0933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2888
EPA LAB ID: NV00932

Exhibit A11

California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Western Environmental Testing Laboratory
Analytical Report

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy 6
Phone: (702) 301-4167 **Fax:**
PO\Project: *31411074/TOSIC TORT TOWNS*

Date Printed: 12/5/2014
OrderID: *1411453*

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-001
Collect Date/Time: 11/13/2014 13:05
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	57	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-002
Collect Date/Time: 11/13/2014 13:30
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	46	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-003
Collect Date/Time: 11/13/2014 14:00
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	9.8	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-004
Collect Date/Time: 11/13/2014 15:00
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	19	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-9202
fax (775) 355-9917
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1064 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2888
EPA LAB ID: NV00932

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/23/14 15:37
Received Date: 09/04/14 12:07

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Fax:

Attn: Personal Privacy 6

P.O.#:

Project:

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 9/4/2014 with the Chain of Custody document. The samples were received in good condition, at 2.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4I04036-01 **Sample ID: #1 (Chromium6)** **Matrix: Water**
Sampled by: Jack Rosen **Sampled: 09/03/14 17:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	2.2		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-02 **Sample ID: #2 (Chromium6)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 16:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	0.49		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-03 **Sample ID: #3 (Chromium6)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 18:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-04 **Sample ID: #39 (Chromium6)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 15:55** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-05 **Sample ID: #1 Arsenic(Arsenic)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 18:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	2500		ug/l	0.80	1	EPA 200.8	09/15/14 08:51	09/15/14 19:18	rrl	W4I0722

Work Order No: 4I04036-06 **Sample ID: #2 Arsenic(Arsenic)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 17:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	34		ug/l	0.40	1	EPA 200.8	09/15/14 08:51	09/15/14 19:22	rrl	W4I0722

Work Order No: 4I04036-07 **Sample ID: #12 (Uranium)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 09:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium Rad	10		pCi/L	0.13	1	EPA 200.8	09/15/14 08:51	09/15/14 19:31	rrl	W4I1203

Lab#: 4I04036-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Work Order No: 4I04036-08 **Sample ID: #14 (Uranium)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 10:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium Rad	12		pCi/L	0.13	1	EPA 200.8	09/15/14 08:51	09/15/14 19:26	rrl	W4I1203

Case Narrative:

Kim Tu

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
NR = Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

Sunil Chawla for
David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/09/14 08:37
Received Date: 08/28/14 13:32

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Attn: Personal Privacy 6

Fax:

Project:

P.O.#:

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 8/28/2014 with the Chain of Custody document. The samples were received in good condition, at 4.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4H28040-01 **Sample ID: Chromium (VI) #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 16:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	1.9		ug/l	0.30	1	EPA 218.6	09/03/14 10:00	09/03/14 15:37	cwh	W4I0098

Work Order No: 4H28040-02 **Sample ID: Uranium #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	8.5		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:40	rrl	W4I0209

Work Order No: 4H28040-03 **Sample ID: Uranium #19** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	49		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:42	rrl	W4I0209

Work Order No: 4H28040-04 **Sample ID: Uranium #38** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	17		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:45	rrl	W4I0209

Work Order No: 4H28040-05 **Sample ID: Uranium #39** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	16		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:47	rrl	W4I0209

Work Order No: 4H28040-06 **Sample ID: Uranium #28** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:35** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	19		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:59	rrl	W4I0209

Work Order No: 4H28040-07 **Sample ID: Uranium #21** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	30		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 15:14	rrl	W4I0209

Lab#: 4H28040-09

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

Certificate of Analysis

Work Order No: 4H28040-08 **Sample ID: Uranium #20** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 13:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	28		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:52	rrl	W4I0209

Work Order No: 4H28040-09 **Sample ID: Uranium #8** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 14:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	120		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:54	rrl	W4I0209

Case Narrative:

Authorized Signature

Contact: Jim Gibbons
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
NR = Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

Flags for Data Qualifiers:

MS-05 = The spike recovery and/or RPD were outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino II

Lompoc Office

516-A North Eighth Street

Lompoc, GA 93436

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1678**

Expiration Date: **12/31/2015**

Effective Date: **01/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CDPH
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Geo-Monitor, Inc

17152 Darwin Avenue

Hesperia, CA 92345

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2691**

Expiration Date: **06/30/2014**

Effective Date: **07/01/2012**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Callahan & Blaine	Project: Drinking Water	Work Order: 13H1419
3 Hutton Centre Drive, Ninth Floor	Sub Project: Irving	Received: 08/16/13 11:55
Santa Ana CA, 92707	Project Manager: Personal Privacy 6	Reported: 09/03/13

Irving **13H1419-01 (Water)** **Sample Date:** 08/16/13 8:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MDL	MCL	Prepared	Analyzed	Batch	Qualifier
Metals										
Arsenic (As)	SM3113-B	**30**	ug/L	2.0	0.68	10	08/22/13	08/22/13	1334349	
Chromium (+6)	EPA 218.6	**1.3**	ug/L	1.0	0.14		08/16/13	08/19/13	1334014	
Radiochemistry Analyses										
Gross Beta	EPA 900.0	**15**	pCi/L	4.0		50	08/19/13	08/26/13	1330379	
Gross Beta Counting Error	EPA 900.0	**3.2**	pCi/L				08/19/13	08/26/13	1330379	
Gross Beta Min Det Activity	EPA 900.0	**2.2**	pCi/L				08/19/13	08/26/13	1330379	
Uranium	EPA 908.0	**70**	pCi/L	1.0		20	08/20/13	08/20/13	1333313	
Uranium Counting Error	EPA 908.0	**3.5**	pCi/L				08/20/13	08/20/13	1333313	
Uranium Min Det Activity	EPA 908.0	**0.88**	pCi/L				08/20/13	08/20/13	1333313	

J Detected below the Reporting Limit; reported concentration is estimated; (J-Flag)

ND Analyte NOT DETECTED at or above the MDL; Method Detection Limit

Robin Glenney
Project Manager

EXHIBIT "A-2"
ANNETTE A-11

Post Office Box 329 San Bernardino, CA 92402 (909) 825-7693 Fax (909) 825-7696 ELAP Number 1088

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

1/7/2015

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy 6

OrderID: *1412321*
Amended

Dear: Personal Privacy 6

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, online edition, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/9/2014. Additional comments are located on page 2 of this report.

This is an amended report that includes corrected sample IDs as requested by the client. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory
Report Comments

Contaminated Realty - 1412321 Amended

General Comments

This is an amended report with various Sample IDs corrected.

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Arsenic on sample 1412321-021 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Per method recommendation (section 4.4), Samples analyzed by methods EPA 300.0 and EPA 300.1 have been filtered prior to analysis.

Report Legend

B	–	Blank contamination; Analyte detected above the method reporting limit in an associated blank
HT	–	Sample analyzed beyond the accepted holding time
J	–	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
M	–	Reported value is estimated; The sample matrix interfered with the analysis
N	–	There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
NC	–	Not calculated due to matrix interference
Q	–	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
S	–	Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits
SC	–	Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered
U	–	The analyte was analyzed for, but was not detected above the level of the reported sample reporting/quantitation limit

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory
QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC14121247	Blank 1	Arsenic	EPA 200.8	ND	µg/L
QC14121249	Blank 1	Arsenic	EPA 200.8	ND	µg/L
QC14121250	Blank 1	Arsenic	EPA 200.8	ND	µg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC14121247	LCS 1	Arsenic	EPA 200.8	50.6	50.0	101	µg/L
QC14121249	LCS 1	Arsenic	EPA 200.8	50.6	50.0	101	µg/L
QC14121250	LCS 1	Arsenic	EPA 200.8	49.0	50.0	98	µg/L

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result		MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC14121247	MS 1	Arsenic	EPA 200.8	1412321-001	44.0		92.8	89.9	50.0	µg/L	98	92	3%
QC14121249	MS 1	Arsenic	EPA 200.8	1412321-011	20.7		69.3	66.5	50.0	µg/L	97	92	4%
QC14121250	MS 1	Arsenic	EPA 200.8	1412321-021	30.2	M	61.4	63.8	50.0	µg/L	NC	NC	NC

Customer Sample ID: Personal Privacy (**Collect Date/Time:** 12/7/2014 13:00

WETLAB Sample ID: 1412321-023 **Receive Date:** 12/9/2014 13:30

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	620	µg/L	10	10	12/23/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/18/2014	NV00925

Customer Sample ID: Personal Privacy (**Collect Date/Time:** 12/7/2014 14:00

WETLAB Sample ID: 1412321-024 **Receive Date:** 12/9/2014 13:30

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	13	µg/L	1	1.0	12/23/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/18/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

~~EXHIBIT "L-62"~~
~~EXHIBIT "L-88"~~

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00926 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Exhibit "A"

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

1/8/2015

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy 6

OrderID: *1412761*

Dear: Personal Privacy 6

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, online edition, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/23/2014. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory
Report Comments

Contaminated Realty - 1412761

General Comments

None

Specific Comments

None

Per method recommendation (section 4.4), Samples analyzed by methods EPA 300.0 and EPA 300.1 have been filtered prior to analysis.

Report Legend

B	–	Blank contamination; Analyte detected above the method reporting limit in an associated blank
HT	–	Sample analyzed beyond the accepted holding time
J	–	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
M	–	Reported value is estimated; The sample matrix interfered with the analysis
N	–	There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
NC	–	Not calculated due to matrix interference
Q	–	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
S	–	Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits
SC	–	Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered
U	–	The analyte was analyzed for, but was not detected above the level of the reported sample reporting/quantitation limit

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9953
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory
QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC15010189	Blank 1	Arsenic	EPA 200.8	0.0015	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC15010189	LCS 1	Arsenic	EPA 200.8	0.0528	0.050	106	mg/L

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC15010189	MS 1	Arsenic	EPA 200.8	1412779-001	ND	0.0536	0.0536	0.050	mg/L	103	103	<1%

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 12/16/2014 16:00
WETLAB Sample ID: 1412761-002 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	24	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

Customer Sample ID: Personal Privac **Collect Date/Time:** 12/16/2014 14:00
WETLAB Sample ID: 1412761-003 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	740	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 12/16/2014 08:45
WETLAB Sample ID: 1412761-004 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	37	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

EXHIBIT "A-6"

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

State of California—Health and Human Services Agency
California Department of Public Health

RON CHAPMAN, MD, MPH
Director & State Health Officer

EDMUND G. BROWN JR.
Governor

March 3, 2014

Alfredo Pierri
Weck Laboratories, Inc.
14859 East Clark Avenue
City of Industry, CA 91745

Dear Alfredo Pierri: Certificate No. 1132

This is to advise you that the laboratory named above continues to be certified as an environmental testing laboratory pursuant to the provisions of the Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100825, et seq. Certification for all currently certified Fields of Testing that the laboratory has applied for renewal shall remain in effect until **03/31/2016** unless it is revoked.

Please note that the renewal application for certification is subject to an on-site process, and the continued use of this certificate is contingent upon:

- **successful completion of the on-site process;**
- **acceptable performance in the required proficiency testing (PT) studies;**
- **timely payment of all fees, including an annual fee due before March 31, 2015;**
- **compliance with Environmental Laboratory Accreditation Program Branch (ELAPB); statutes (HSC, Section 100825, et seq.) and Regulations (California Code of Regulations (CCR),Title 22, Division 4, Chapter 19).**

An updated certificate of the "Fields of Testing" will be issued to the laboratory upon successful completion of the on-site process.

The application for the renewal of this certificate must be received before the expiration date to remain in force according to the HSC100845(a).

Please note that the laboratory is required to notify ELAPB of any major changes in the laboratory such as the transfer of ownership, change of laboratory director, change in location, or structural alterations which may affect adversely the quality of analyses (HSC, Section 100845(b)(d)). Please include the above certificate number in all your correspondence with ELAPB.

If you have any questions, please contact ELAPB at (510) 620-3155.

Sincerely,

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing

Weck Laboratories, Inc.
Weck Analytical Environmental Services
14859 East Clark Avenue
City of Industry, CA 91745
Phone: (626) 336-2139

Certificate No.: 1132
Renew Date: 3/31/2016

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM9215B
101.020	001	Total Coliform	SM9221A,B
101.021	001	Fecal Coliform	SM9221E (MTF/EC)
101.022	001	E. coli	SM9221B,F-2006
101.060	002	Total Coliform	SM9223
101.060	003	E. coli	SM9223
101.120	001	Total Coliform (Enumeration)	SM9221A,B,C
101.130	001	Fecal Coliform (Enumeration)	SM9221E (MTF/EC)
101.160	001	Total Coliform (Enumeration)	SM9223
101.195	001	Heterotrophic Bacteria	SM9215B
101.200	001	E. coli (Enumeration)	SM9223B
101.210	001	E. coli (Enumeration)	SM9221B,F-2006
101.240	001	E. coli (Enumeration)	EPA 1603
101.300	001	E. coli	SM9223B
101.305	001	E. coli	SM9221 B,C,F-2006
101.307	001	Enterococci	SM9230B
101.310	001	Enterococci	Enterolert

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.020	001	Turbidity	EPA 180.1
102.030	001	Bromide	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate	EPA 300.0
102.030	007	Nitrite	EPA 300.0
102.030	010	Sulfate	EPA 300.0
102.040	001	Bromide	EPA 300.1
102.040	002	Chlorite	EPA 300.1
102.040	003	Chlorate	EPA 300.1
102.040	004	Bromate	EPA 300.1
102.045	001	Perchlorate	EPA 314.0
102.047	001	Perchlorate	EPA 331.0
102.048	001	Perchlorate	EPA 332.0
102.050	001	Cyanide	EPA 335.4
102.060	001	Nitrate (as N) (Calculation)	EPA 353.2
102.061	001	Nitrite	EPA 353.2
102.070	001	Phosphate, Ortho	EPA 365.1
102.100	001	Alkalinity	SM2320B
102.110	001	Corrosivity (Langlier Index)	SM2330B

As of 04/01/2014 , this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

102.120	001	Hardness	SM2340B
102.130	001	Conductivity	SM2510B
102.140	001	Total Dissolved Solids	SM2540C
102.163	001	Chlorine, Free and Total	SM4500-Cl G
102.180	001	Chlorine Dioxide	SM4500-ClO2 D
102.190	001	Cyanide, Total	SM4500-CN E
102.192	001	Cyanide, amenable	SM4500-CN G
102.210	001	Hydrogen Ion (pH)	SM4500-H+ B
102.261	002	TOC/DOC	SM5310B
102.263	002	TOC/DOC	SM5310C
102.270	001	Surfactants	SM5540C
102.280	001	UV254	SM5910B
102.520	001	Calcium	EPA 200.7
102.520	002	Magnesium	EPA 200.7
102.520	003	Potassium	EPA 200.7
102.520	004	Silica	EPA 200.7
102.520	005	Sodium	EPA 200.7
102.520	006	Hardness (calculation)	EPA 200.7
102.546	001	Bromate	EPA 326.0
102.546	002	Bromide	EPA 326.0
102.546	003	Chlorite	EPA 326.0
102.551	002	Chlorine, Free, Combined, Total	SM4500-Cl G
102.555	001	UV254	EPA 415.3
102.555	002	Specific UV Absorbance SUVA	EPA 415.3
102.555	003	TOC/DOC	EPA 415.3
102.565	001	Cyanide	OIA-1677, DW
Field of Testing: 103 - Toxic Chemical Elements of Drinking Water			
103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	005	Cadmium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8

103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8
103.140	018	Vanadium	EPA 200.8
103.160	001	Mercury	EPA 245.1
103.310	001	Chromium (VI)	EPA 218.6
Field of Testing: 104 - Volatile Organic Chemistry of Drinking Water			
104.030	003	1,2,3-Trichloropropane	EPA 504.1
104.030	004	EDB and DBCP	EPA 504.1
104.035	001	1,2,3-Trichloropropane	SRL 524M-TCP
104.040	000	Volatile Organic Compounds	EPA 524.2
104.045	000	Trihalomethanes, Total	EPA 524.2
104.050	002	Methyl tert-butyl Ether (MTBE)	EPA 524.2
104.050	004	tert-Amyl Methyl Ether (TAME)	EPA 524.2
104.050	005	Ethyl tert-butyl Ether (ETBE)	EPA 524.2
104.050	006	Trichlorotrifluoroethane	EPA 524.2
104.055	000	Volatile Organic Compounds	EPA 524.3
104.055	021	Xylenes, Total	EPA 524.3
104.055	024	Trihalomethanes, Total	EPA 524.3
104.058	000	Volatile Organic Compounds	EPA 524.4
104.058	009	Dichloromethane	EPA 524.4
104.058	021	Xylenes, Total	EPA 524.4
104.059	000	Trihalomethanes, Total	EPA 524.4
Field of Testing: 105 - Semi-volatile Organic Chemistry of Drinking Water			
105.040	000	Chlorinated Pesticides	EPA 508
105.040	016	PCBs as Aroclors (screen)	EPA 508
105.082	009	Chlorinated Acids	EPA 515.3
105.090	000	Semi-volatile Organic Compounds	EPA 525.2
105.090	027	PCBs as Aroclors	EPA 525.2
105.091	000	Semi-volatile Organic Compounds	EPA 525.3
105.091	007	Diazinon	EPA 525.3
105.091	015	Lindane (BHC, gamma)	EPA 525.3
105.091	023	Thiobencarb	EPA 525.3
105.100	000	Carbamates	EPA 531.1
105.120	001	Glyphosate	EPA 547
105.140	001	Endothall	EPA 548.1
105.150	001	Diquat	EPA 549.2
105.170	031	Disinfection Byproducts	EPA 551.1
105.200	004	Dalapon	EPA 552.2
105.200	009	Haloacetic Acids	EPA 552.2

105.220	001	Diuron	EPA 632
105.230	002	2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) Screening O	EPA 1613
Field of Testing: 106 - Radiochemistry of Drinking Water			
106.010	001	Gross Alpha and Beta Radiation	EPA 900.0
106.092	001	Uranium	EPA 200.8
106.270	001	Gross Alpha by Coprecipitation	SM7110C
106.610	001	Radon-222	SM7500-Rn
Field of Testing: 107 - Microbiology of Wastewater			
107.010	001	Heterotrophic Bacteria	SM9215B
107.020	001	Total Coliform	SM9221B,C-2006
107.030	001	Total Coliform with Chlorine Present	SM9221B,C-2006
107.040	001	Fecal Coliform	SM9221C,E (MTF/EC)
107.050	001	Fecal Coliform with Chlorine Present	SM9221E-2006
107.060	001	Total Coliform	SM9222B
107.070	002	Total Coliform with Chlorine Present	SM9222B + B.5c-1997
107.080	001	Fecal Coliform	SM9222D
107.090	002	Fecal Coliform with Chlorine Present	SM9222D-1997
107.100	001	Fecal Streptococci	SM9230B
107.100	002	Enterococci	SM9230B
107.242	001	Enterococci	Enterolert
107.244	001	Enterococci	EPA 1600
107.245	001	E. coli	SM9223
Field of Testing: 108 - Inorganic Chemistry of Wastewater			
108.090	001	Residue, Volatile	EPA 160.4
108.110	001	Turbidity	EPA 180.1
108.112	001	Boron	EPA 200.7
108.112	002	Calcium	EPA 200.7
108.112	003	Hardness (calculation)	EPA 200.7
108.112	004	Magnesium	EPA 200.7
108.112	005	Potassium	EPA 200.7
108.112	006	Silica	EPA 200.7
108.112	007	Sodium	EPA 200.7
108.113	001	Boron	EPA 200.8
108.113	002	Calcium	EPA 200.8
108.113	003	Magnesium	EPA 200.8
108.113	004	Potassium	EPA 200.8
108.113	005	Silica	EPA 200.8
108.113	006	Sodium	EPA 200.8
108.120	001	Bromide	EPA 300.0
108.120	002	Chloride	EPA 300.0
108.120	003	Fluoride	EPA 300.0
108.120	004	Nitrate	EPA 300.0
108.120	005	Nitrite	EPA 300.0
108.120	006	Nitrate-nitrite	EPA 300.0
108.120	008	Sulfate	EPA 300.0
108.121	001	Bromide	EPA 300.1

108.183	001	Cyanide, Total	EPA 335.4
108.200	001	Ammonia	EPA 350.1
108.211	001	Kjeldahl Nitrogen	EPA 351.2
108.232	003	Nitrate-Nitrite (as N)	EPA 353.2
108.232	004	Nitrite as N	EPA 353.2
108.260	001	Phosphate, Ortho	EPA 365.1
108.261	001	Phosphorus, Total	EPA 365.1
108.264	001	Phosphate, Ortho	EPA 365.3
108.265	001	Phosphorus, Total	EPA 365.3
108.323	001	Chemical Oxygen Demand	EPA 410.4
108.362	001	Phenols, Total	EPA 420.4
108.381	001	Oil and Grease	EPA 1664A
108.385	001	Color	SM2120B-2001
108.410	001	Alkalinity	SM2320B
108.420	001	Hardness (calculation)	SM2340B
108.430	001	Conductivity	SM2510B
108.440	001	Residue, Total	SM2540B
108.441	001	Residue, Filterable TDS	SM2540C
108.442	001	Residue, Non-filterable TSS	SM2540D
108.443	001	Residue, Settleable	SM2540F-1997
108.444	001	Temperature	SM2550B-2000
108.465	001	Chlorine, Total	SM4500-Cl G
108.465	002	Chlorine, Free	SM4500-Cl G-2000
108.473	001	Cyanide, amenable	SM4500-CN G
108.490	001	Hydrogen Ion (pH)	SM4500-H+ B
108.513	001	Kjeldahl Nitrogen, Total (as N)	SM4500-Norg D-1997
108.531	001	Dissolved Oxygen	SM4500-O G
108.560	001	Sulfite	SM4500-SO3 B
108.580	001	Sulfide	SM4500-S= D
108.590	001	Biochemical Oxygen Demand	SM5210B
108.591	001	Carbonaceous BOD	SM5210B
108.594	001	Chemical Oxygen Demand	SM5220C-1997
108.596	001	Organic Carbon-Total (TOC)	SM5310B-2000
108.597	001	Organic Carbon-Total (TOC)	SM5310C-2000
108.640	001	Surfactants	SM5540C
108.925	001	Cyanide, amenable	OIA-1677-09
108.99	001	Cyanide	ASTM D7511-09

Field of Testing: 109 - Toxic Chemical Elements of Wastewater

109.010	001	Aluminum	EPA 200.7
109.010	002	Antimony	EPA 200.7
109.010	003	Arsenic	EPA 200.7
109.010	004	Barium	EPA 200.7
109.010	005	Beryllium	EPA 200.7
109.010	007	Cadmium	EPA 200.7
109.010	009	Chromium	EPA 200.7
109.010	010	Cobalt	EPA 200.7
109.010	011	Copper	EPA 200.7

109.010	012	Iron	EPA 200.7
109.010	013	Lead	EPA 200.7
109.010	015	Manganese	EPA 200.7
109.010	016	Molybdenum	EPA 200.7
109.010	017	Nickel	EPA 200.7
109.010	019	Selenium	EPA 200.7
109.010	021	Silver	EPA 200.7
109.010	023	Thallium	EPA 200.7
109.010	024	Tin	EPA 200.7
109.010	025	Titanium	EPA 200.7
109.010	026	Vanadium	EPA 200.7
109.010	027	Zinc	EPA 200.7
109.020	001	Aluminum	EPA 200.8
109.020	002	Antimony	EPA 200.8
109.020	003	Arsenic	EPA 200.8
109.020	004	Barium	EPA 200.8
109.020	005	Beryllium	EPA 200.8
109.020	006	Cadmium	EPA 200.8
109.020	007	Chromium	EPA 200.8
109.020	008	Cobalt	EPA 200.8
109.020	009	Copper	EPA 200.8
109.020	010	Lead	EPA 200.8
109.020	011	Manganese	EPA 200.8
109.020	012	Molybdenum	EPA 200.8
109.020	013	Nickel	EPA 200.8
109.020	014	Selenium	EPA 200.8
109.020	015	Silver	EPA 200.8
109.020	016	Thallium	EPA 200.8
109.020	017	Vanadium	EPA 200.8
109.020	018	Zinc	EPA 200.8
109.020	020	Gold	EPA 200.8
109.020	021	Iron	EPA 200.8
109.020	022	Tin	EPA 200.8
109.020	023	Titanium	EPA 200.8
109.104	001	Chromium (VI)	EPA 218.6
109.190	001	Mercury	EPA 245.1
109.192	001	Mercury	EPA 245.7
109.361	001	Mercury	EPA 1631E
109.811	001	Chromium (VI)	SM3500-Cr D (18th/19th)
Field of Testing: 110 - Volatile Organic Chemistry of Wastewater			
110.040	000	Purgeable Organic Compounds	EPA 624
Field of Testing: 111 - Semi-volatile Organic Chemistry of Wastewater			
111.100	000	Acid/base/neutral Organic Compounds	EPA 625
111.101	000	Pesticides & PCBs	EPA 625
111.101	033	Adipates	EPA 625
111.101	034	Phthalates	EPA 625

111.101	036	Other Extractables	EPA 625
111.103	000	Nitrosamines	EPA 625
111.120	048	N-nitrosodimethylamine	EPA 1625B
111.170	030	Pesticides & PCBs	EPA 608
111.210	000	Carbamates	EPA 632
111.210	006	Diuron	EPA 632
Field of Testing: 112 - Radiochemistry of Wastewater			
112.010	001	Gross Alpha and Beta Radiation	EPA 900.0
Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste			
114.010	001	Antimony	EPA 6010B
114.010	002	Arsenic	EPA 6010B
114.010	003	Barium	EPA 6010B
114.010	004	Beryllium	EPA 6010B
114.010	005	Cadmium	EPA 6010B
114.010	006	Chromium	EPA 6010B
114.010	007	Cobalt	EPA 6010B
114.010	008	Copper	EPA 6010B
114.010	009	Lead	EPA 6010B
114.010	010	Molybdenum	EPA 6010B
114.010	011	Nickel	EPA 6010B
114.010	012	Selenium	EPA 6010B
114.010	013	Silver	EPA 6010B
114.010	014	Thallium	EPA 6010B
114.010	015	Vanadium	EPA 6010B
114.010	016	Zinc	EPA 6010B
114.020	001	Antimony	EPA 6020
114.020	002	Arsenic	EPA 6020
114.020	003	Barium	EPA 6020
114.020	004	Beryllium	EPA 6020
114.020	005	Cadmium	EPA 6020
114.020	006	Chromium	EPA 6020
114.020	007	Cobalt	EPA 6020
114.020	008	Copper	EPA 6020
114.020	009	Lead	EPA 6020
114.020	010	Molybdenum	EPA 6020
114.020	011	Nickel	EPA 6020
114.020	012	Selenium	EPA 6020
114.020	013	Silver	EPA 6020
114.020	014	Thallium	EPA 6020
114.020	015	Vanadium	EPA 6020
114.020	016	Zinc	EPA 6020
114.103	001	Chromium (VI)	EPA 7196A
114.106	001	Chromium (VI)	EPA 7199
114.140	001	Mercury	EPA 7470A
114.141	001	Mercury	EPA 7471A
114.222	001	Cyanide	EPA 9014

114.230	001	Sulfides, Total	EPA 9034
114.250	001	Fluoride	EPA 9056
Field of Testing: 115 - Extraction Test of Hazardous Waste			
115.020	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311
115.030	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
115.040	001	Synthetic Precipitation Leaching Procedure (SPLP)	EPA 1312
Field of Testing: 116 - Volatile Organic Chemistry of Hazardous Waste			
116.020	030	Nonhalogenated Volatiles	EPA 8015B
116.020	031	Ethanol and Methanol	EPA 8015B
116.030	001	Gasoline-range Organics	EPA 8015B
116.080	000	Volatile Organic Compounds	EPA 8260B
116.090	000	Acrylamide, Acrylonitrile, Acrolein	EPA 8316
116.100	001	Total Petroleum Hydrocarbons - Gasoline	LUFT GC/MS
116.100	010	BTEX and MTBE	LUFT GC/MS
Field of Testing: 117 - Semi-volatile Organic Chemistry of Hazardous Waste			
117.010	001	Diesel-range Total Petroleum Hydrocarbons	EPA 8015B
117.110	000	Extractable Organics	EPA 8270C
117.110	025	Carbazole	EPA 8270C
117.110	080	2-Methyl-4,6-dinitrophenol	EPA 8270C
117.111	054	Parathion Ethyl	EPA 8270C
117.111	055	Parathion Methyl	EPA 8270C
117.111	058	Sulfotepp	EPA 8270C
117.111	059	Tepp	EPA 8270C
117.111	070	PCBs	EPA 8270C
117.111	071	Pesticides	EPA 8270C
117.111	074	Adipates	EPA 8270C
117.111	076	Other Extractables	EPA 8270C
117.150	000	Carbonyl Compounds	EPA 8315A
117.171	000	Nitroaromatics and Nitramines	EPA 8330A
117.210	000	Pesticides & PCBs	EPA 8081A
117.220	000	PCBs	EPA 8082
117.240	000	Organophosphorus Pesticides	EPA 8141A
117.250	000	Chlorinated Herbicides	EPA 8151A
117.270	000	Carbamates, N-methylcarbamates	EPA 8318
Field of Testing: 120 - Physical Properties of Hazardous Waste			
120.010	001	Ignitability	EPA 1010
120.070	001	Corrosivity - pH Determination	EPA 9040B
120.080	001	Corrosivity - pH Determination	EPA 9045C
Field of Testing: 126 - Microbiology of Recreational Water			
126.010	001	Total Coliform (Enumeration)	SM9221A,B,C
126.020	001	Total Coliform (Enumeration)	SM9222A,B
126.030	001	Fecal Coliform (Enumeration)	SM9221E-2006
126.040	001	Fecal Coliform (Enumeration)	SM9222D
126.050	001	Total Coliform and E. coli	SM9223
126.070	001	Enterococci	EPA 1600

126.080	001	Enterococci	IDEXX

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/20/14 14:06
Received Date: 10/07/14 12:50

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: 6 workdays

Phone: Personal Privacy 6

Fax:

P.O.#:

Attn: Personal Privacy 6

Project: Arsenic Testing

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/7/2014 with the Chain of Custody document. The samples were received in good condition, at 1.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J07046-01 **Sample ID:** #16 Brown **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 10:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	120		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:03	rrl	W4J0456

Work Order No: 4J07046-02 **Sample ID:** Ken Nitao **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 11:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	76		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:08	rrl	W4J0456

ork Order No: 4J07046-03 **Sample ID:** #39 Jenkins **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 13:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	3.9		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:12	rrl	W4J0456

Work Order No: 4J07046-04 **Sample ID:** #13 Corby **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 13:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	4.8		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:29	rrl	W4J0456

Work Order No: 4J07046-05 **Sample ID:** #28 Charles Matthiesen **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 14:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	210		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:34	rrl	W4J0456

Work Order No: 4J07046-06 **Sample ID:** #37 Ramirez **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 14:45 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	11		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:38	rrl	W4J0456

Work Order No: 4J07046-07 **Sample ID:** #51 Rebeling **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 16:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	38		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:55	rrl	W4J0456

Lab#: 4J07046-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Work Order No: 4J07046-08 **Sample ID: #57 Ornelas** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 12:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	140		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 16:00	rrl	W4J0456

Case Narrative:

Kim Tu

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
= Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.weckdabs.com

Exhibit "A"

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino II

Lompoc Office

516-A North Eighth Street

Lompoc, GA 93436

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1678**

Expiration Date: **12/31/2015**

Effective Date: **01/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CDPH
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Geo-Monitor, Inc

17152 Darwin Avenue

Hesperia, CA 92345

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2691**

Expiration Date: **06/30/2014**

Effective Date: **07/01/2012**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Personal Privacy 6
Barstow CA, 92311

Project: Routine
Sub Project: Toxic Tort Towns / Hinkley
Project Manager: Personal Privacy 6

Work Order: 14H0183
Received: 08/04/14 17:05
Reported: 08/19/14

14H0183-01 (Water) Sample Date: 07/28/14 10:10 Sampler: Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	34	ug/L	2.0	10	08/11/14	08/11/14	1433025	

14H0183-02 (Water) Sample Date: 07/28/14 10:30 Sampler: Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	1600	ug/L	100	10	08/15/14	08/19/14	1433586	

14H0183-03 (Water) Sample Date: 07/28/14 11:00 Sampler: Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	34	ug/L	2.0	10	08/11/14	08/11/14	1433025	

14H0183-04 (Water) Sample Date: 07/28/14 11:30 Sampler: Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B		ug/L	2.0	10	08/11/14	08/11/14	1433025	

VINSON **14H0183-05 (Water)** Sample Date: 07/26/14 12:00 Sampler: Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Personal Privacy 6 e (As)	SM3113-B	130	ug/L	20	10	08/15/14	08/18/14	1433586	

14H0183-06 (Water) Sample Date: 07/26/14 10:03 Sampler: Nick Panchev

	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B		ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Privacy 6 **14H0183-07 (Water)** Sample Date: 07/26/14 11:08 Sampler: Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	37	ug/L	2.0	10	08/11/14	08/11/14	1433025	

EXHIBIT "AAA"

Post Office Box 329 · San Bernardino, CA 92402 (909) 825-7693 Fax (909) 825-7696 ELAP Number 1088

CDPH
Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No: 01982

Expiration Date: 03/31/2016

Effective Date: 04/01/2014

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IX
75 Hawthorne Street
San Francisco, CA 94105-3901

August 12, 1996

Mr. Alfredo E. Pierri
Laboratory Director
Week Laboratories, Inc.
14859 E. Clark Avenue
Industry, CA 91745

Dear Mr. Pierri:

SUBJECT: Alternate Test Procedure (ATP) Method Approval

The purpose of this letter is to notify you that U.S. EPA Region IX is granting approval to use EPA Method 200.8 (ICP-MS) for analysis of NPDES compliance samples for aluminum, antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, manganese, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc. This letter is in response to your limited-use (commercial laboratory) Alternate Test Procedure (ATP) application letter of July 23, 1996. Approval is limited to work performed at your laboratory in Industry, California for NPDES discharges in States within Region IX (Arizona, California, Hawaii, Nevada, Guam, Saipan, Palau, and American Samoa) and is inclusive of work currently performed for Victor Valley Wastewater Reclamation Authority under NPDES permit number CA0102822.

Application for and approval of ATPs are allowed under 40 CFR Part 136.4-5. Limited-use ATP applications require the applicant to perform a study comparing the proposed method to a promulgated procedure (40 CFR Part 136) using samples of the NPDES permitted wastewater. This data is submitted (through the State and Region) to the EPA National Exposure Research Laboratory in Cincinnati (NERL-CI), formerly known as Environmental Monitoring Systems Laboratory in Cincinnati (EMSL-CI), for technical and comparability reviews. Based on the resulting recommendation of NERL-CI, the Assistant Regional Administrator has final authority for approval of limited-use ATPs.

Method 200.8 has been validated by NERL-CI for nationwide use in NPDES monitoring, but has not yet been published in the Federal Register under 40 CFR Part 136 - Guidelines Establishing Test Procedures for the Analysis of Pollutants Under the Clean Water Act. Until the method is published, NERL-CI has determined that a limited-use ATP comparison study for Method 200.8 would be a duplication of effort, because the method has already been validated for nationwide use. Accordingly, you have not been required to perform a full method comparison study.

NERL-CI has recommended that Regions approve the use of Method 200.8 on a case-by-case basis for those NPDES permittees and commercial laboratories (James Longbottom, U.S. EPA NERL-CI 11/03/92 communication) who have demonstrated ability to use it. We found that the performance data submitted for analyses of aluminum, antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, manganese, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc meets this requirement.

Please contact Vance Fong, Chief of the Quality Assurance Management Section, at (415) 744-1492 if you have any questions regarding this notice.

Sincerely,

Nora L. McGee
Assistant Regional Administrator
for Policy and Management

cc: Ken Greenberg, Chief, NPDES Compliance Section (W-5-3)
Bob Wills, Chief, Pretreatment Program and Compliance Section (W-5-2)
U.S. EPA Region IX

James Longbottom, Senior Science Advisor
James O'Dell, ATP Chemist
U.S. EPA NERL-CI

George Kulasingam, Assistant Chief
Richard Spinner, Laboratory Supervisor
California Environmental Laboratory Accreditation Program

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/23/14 15:37
Received Date: 09/04/14 12:07

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: (702) 301-4167

Attn: Personal Privacy 6

Fax:

Project:

P.O.#:

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 9/4/2014 with the Chain of Custody document. The samples were received in good condition, at 2.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4I04036-01 **Sample ID: #1 (Chromium6)** **Matrix: Water**
Sampled by: Jack Rosen **Sampled: 09/03/14 17:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	2.2		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-02 **Sample ID: #2 (Chromium6)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 16:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	0.49		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-03 **Sample ID: #3 (Chromium6)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 18:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-04 **Sample ID: #39 (Chromium6)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 15:55** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	09/10/14 10:50	09/10/14 13:36	cwh	W4I0499

Work Order No: 4I04036-05 **Sample ID: #1 Arsenic(Arsenic)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 18:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	2500		ug/l	0.80	1	EPA 200.8	09/15/14 08:51	09/15/14 19:18	rrl	W4I0722

Work Order No: 4I04036-06 **Sample ID: #2 Arsenic(Arsenic)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 17:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	34		ug/l	0.40	1	EPA 200.8	09/15/14 08:51	09/15/14 19:22	rrl	W4I0722

Work Order No: 4I04036-07 **Sample ID: #12 (Uranium)** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 09/03/14 09:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium Rad	10		pCi/L	0.13	1	EPA 200.8	09/15/14 08:51	09/15/14 19:31	rrl	W4I1203

Lab#: 4I04036-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exibit "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CDPH
California Department of Public Health

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino II

Lompoc Office

516-A North Eighth Street

Lompoc, CA 93436

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1678**

Expiration Date: **12/31/2015**

Effective Date: **01/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CDPH
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Geo-Monitor, Inc

17152 Darwin Avenue

Hesperia, CA 92345

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2691**

Expiration Date: **06/30/2014**

Effective Date: **07/01/2012**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Callahan & Blaine	Project: Drinking Water	Work Order: 13H1419
3 Hutton Centre Drive, Ninth Floor	Sub Project: Irving	Received: 08/16/13 11:55
Santa Ana CA, 92707	Project Manager: Personal Privacy 6	Reported: 09/03/13

Irving **13H1419-01 (Water)** **Sample Date:** 08/16/13 8:00 **Sampler:** Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MDL	MCL	Prepared	Analyzed	Batch	Qualifier
Metals										
Arsenic (As)	SM3113-B	**30**	ug/L	2.0	0.68	10	08/22/13	08/22/13	1334349	
Chromium (+6)	EPA 218.6	**1.3**	ug/L	1.0	0.14		08/16/13	08/19/13	1334014	
Radiochemistry Analyses										
Gross Beta	EPA 900.0	**15**	pCi/L	4.0		50	08/19/13	08/26/13	1330379	
Gross Beta Counting Error	EPA 900.0	**3.2**	pCi/L				08/19/13	08/26/13	1330379	
Gross Beta Min Det Activity	EPA 900.0	**2.2**	pCi/L				08/19/13	08/26/13	1330379	
Uranium	EPA 908.0	**70**	pCi/L	1.0		20	08/20/13	08/20/13	1333313	
Uranium Counting Error	EPA 908.0	**3.5**	pCi/L				08/20/13	08/20/13	1333313	
Uranium Min Det Activity	EPA 908.0	**0.88**	pCi/L				08/20/13	08/20/13	1333313	

J Detected below the Reporting Limit; reported concentration is estimated; (J-Flag)

ND Analyte NOT DETECTED at or above the MDL; Method Detection Limit

Robin Glenney
Project Manager

~~EXHIBIT "B"~~
ANNETTE A1

Post Office Box 329 San Bernardino, CA 92402 (909) 825-7693 Fax (909) 825-7696 ELAP Number 1088

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/31/14 12:34
Received Date: 10/14/14 12:15

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: (702) 301-4167

Fax:

P.O.#:

Attn: Personal Privacy 6

Project: Drinking water

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/14/2014 with the Chain of Custody document. The samples were received in good condition, at 1.0 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J14041-01 **Sample ID:** #61 Velasquez **Matrix:** Water
Sampled by: Personal Priv **Sampled:** 10/13/14 09:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	54		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:01	rrl	W4J1182

Work Order No: 4J14041-02 **Sample ID:** #58 Matsue **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 10:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	150		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:05	rrl	W4J1182

ork Order No: 4J14041-03 **Sample ID:** #29 David Matthiesen **Matrix:** Water
Sampled by: Personal Priv **Sampled:** 10/13/14 11:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	20		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:09	rrl	W4J1182

Work Order No: 4J14041-04 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Priv **Sampled:** 10/13/14 11:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	79		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:14	rrl	W4J1182

Work Order No: 4J14041-05 **Sample ID:** # 30 Carrera **Matrix:** Water
Sampled by: Client **Sampled:** 10/13/14 12:10 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	5.5		ug/l	0.40	1	EPA 200.8	10/23/14 11:46	10/24/14 16:18	rrl	W4J1182

Work Order No: 4J14041-06 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 12:50 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium Rad	12		pCi/L	0.13	1	EPA 200.8	10/23/14 11:51	10/24/14 17:23	rrl	W4J1183

Work Order No: 4J14041-07 **Sample ID:** #11 Hawes **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/13/14 16:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	ND		ug/l	0.30	1	EPA 218.6	10/16/14 09:50	10/16/14 19:38	hmt	W4J0792

Case Narrative:

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
NR = Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/20/14 14:06
Received Date: 10/07/14 12:50

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: 6 workdays

Phone: Personal Privacy 6

Fax:

P.O.#:

Attn: Personal Privacy 6

Project: Arsenic Testing

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/7/2014 with the Chain of Custody document. The samples were received in good condition, at 1.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J07046-01 **Sample ID:** #16 Brown **Matrix:** Water
Sampled by: Jack Rosen **Sampled:** 10/04/14 10:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	120		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:03	rrl	W4J0456

Work Order No: 4J07046-02 **Sample ID:** Ken Nitao **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 11:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	76		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:08	rrl	W4J0456

ork Order No: 4J07046-03 **Sample ID:** #39 Jenkins **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 13:00 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	3.9		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:12	rrl	W4J0456

Work Order No: 4J07046-04 **Sample ID:** #13 Corby **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 13:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	4.8		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:29	rrl	W4J0456

Work Order No: 4J07046-05 **Sample ID:** #28 Charles Matthiesen **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 14:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	210		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:34	rrl	W4J0456

Work Order No: 4J07046-06 **Sample ID:** #37 Ramirez **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 14:45 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	11		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:38	rrl	W4J0456

Work Order No: 4J07046-07 **Sample ID:** #51 Rebeling **Matrix:** Water
Sampled by: Personal Privacy 6 **Sampled:** 10/04/14 16:30 **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	38		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:55	rrl	W4J0456

Lab#: 4J07046-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Work Order No: 4J07046-08 **Sample ID: #57 Ornelas** **Matrix: Water**
Sampled by: Jack Rosen **Sampled: 10/04/14 12:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	140		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 16:00	rtl	W4J0456

Case Narrative:

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
= Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

State of California—Health and Human Services Agency
California Department of Public Health

RON CHAPMAN, MD, MPH
Director & State Health Officer

EDMUND G. BROWN JR.
Governor

March 3, 2014

Alfredo Pierri
Weck Laboratories, Inc.
14859 East Clark Avenue
City of Industry, CA 91745

Dear Alfredo Pierri: Certificate No. 1132

This is to advise you that the laboratory named above continues to be certified as an environmental testing laboratory pursuant to the provisions of the Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100825, et seq. Certification for all currently certified Fields of Testing that the laboratory has applied for renewal shall remain in effect until **03/31/2016** unless it is revoked.

Please note that the renewal application for certification is subject to an on-site process, and the continued use of this certificate is contingent upon:

- **successful completion of the on-site process;**
- **acceptable performance in the required proficiency testing (PT) studies;**
- **timely payment of all fees, including an annual fee due before March 31, 2015;**
- **compliance with Environmental Laboratory Accreditation Program Branch (ELAPB); statutes (HSC, Section 100825, et seq.) and Regulations (California Code of Regulations (CCR),Title 22, Division 4, Chapter 19).**

An updated certificate of the "Fields of Testing" will be issued to the laboratory upon successful completion of the on-site process.

The application for the renewal of this certificate must be received before the expiration date to remain in force according to the HSC100845(a).

Please note that the laboratory is required to notify ELAPB of any major changes in the laboratory such as the transfer of ownership, change of laboratory director, change in location, or structural alterations which may affect adversely the quality of analyses (HSC, Section 100845(b)(d)). Please include the above certificate number in all your correspondence with ELAPB.

If you have any questions, please contact ELAPB at (510) 620-3155.

Sincerely,

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing

Weck Laboratories, Inc.
Weck Analytical Environmental Services
14859 East Clark Avenue
City of Industry, CA 91745
Phone: (626) 336-2139

Certificate No.: 1132
Renew Date: 3/31/2016

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM9215B
101.020	001	Total Coliform	SM9221A,B
101.021	001	Fecal Coliform	SM9221E (MTF/EC)
101.022	001	E. coli	SM9221B,F-2006
101.060	002	Total Coliform	SM9223
101.060	003	E. coli	SM9223
101.120	001	Total Coliform (Enumeration)	SM9221A,B,C
101.130	001	Fecal Coliform (Enumeration)	SM9221E (MTF/EC)
101.160	001	Total Coliform (Enumeration)	SM9223
101.195	001	Heterotrophic Bacteria	SM9215B
101.200	001	E. coli (Enumeration)	SM9223B
101.210	001	E. coli (Enumeration)	SM9221B,F-2006
101.240	001	E. coli (Enumeration)	EPA 1603
101.300	001	E. coli	SM9223B
101.305	001	E. coli	SM9221 B,C,F-2006
101.307	001	Enterococci	SM9230B
101.310	001	Enterococci	Enterolert

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.020	001	Turbidity	EPA 180.1
102.030	001	Bromide	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate	EPA 300.0
102.030	007	Nitrite	EPA 300.0
102.030	010	Sulfate	EPA 300.0
102.040	001	Bromide	EPA 300.1
102.040	002	Chlorite	EPA 300.1
102.040	003	Chlorate	EPA 300.1
102.040	004	Bromate	EPA 300.1
102.045	001	Perchlorate	EPA 314.0
102.047	001	Perchlorate	EPA 331.0
102.048	001	Perchlorate	EPA 332.0
102.050	001	Cyanide	EPA 335.4
102.060	001	Nitrate (as N) (Calculation)	EPA 353.2
102.061	001	Nitrite	EPA 353.2
102.070	001	Phosphate, Ortho	EPA 365.1
102.100	001	Alkalinity	SM2320B
102.110	001	Corrosivity (Langlier Index)	SM2330B

As of 04/01/2014 , this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

102.120	001	Hardness	SM2340B
102.130	001	Conductivity	SM2510B
102.140	001	Total Dissolved Solids	SM2540C
102.163	001	Chlorine, Free and Total	SM4500-Cl G
102.180	001	Chlorine Dioxide	SM4500-ClO2 D
102.190	001	Cyanide, Total	SM4500-CN E
102.192	001	Cyanide, amenable	SM4500-CN G
102.210	001	Hydrogen Ion (pH)	SM4500-H+ B
102.261	002	TOC/DOC	SM5310B
102.263	002	TOC/DOC	SM5310C
102.270	001	Surfactants	SM5540C
102.280	001	UV254	SM5910B
102.520	001	Calcium	EPA 200.7
102.520	002	Magnesium	EPA 200.7
102.520	003	Potassium	EPA 200.7
102.520	004	Silica	EPA 200.7
102.520	005	Sodium	EPA 200.7
102.520	006	Hardness (calculation)	EPA 200.7
102.546	001	Bromate	EPA 326.0
102.546	002	Bromide	EPA 326.0
102.546	003	Chlorite	EPA 326.0
102.551	002	Chlorine, Free, Combined, Total	SM4500-Cl G
102.555	001	UV254	EPA 415.3
102.555	002	Specific UV Absorbance SUVA	EPA 415.3
102.555	003	TOC/DOC	EPA 415.3
102.565	001	Cyanide	OIA-1677, DW

Field of Testing: 103 - Toxic Chemical Elements of Drinking Water

103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	005	Cadmium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8

103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8
103.140	018	Vanadium	EPA 200.8
103.160	001	Mercury	EPA 245.1
103.310	001	Chromium (VI)	EPA 218.6
Field of Testing: 104 - Volatile Organic Chemistry of Drinking Water			
104.030	003	1,2,3-Trichloropropane	EPA 504.1
104.030	004	EDB and DBCP	EPA 504.1
104.035	001	1,2,3-Trichloropropane	SRL 524M-TCP
104.040	000	Volatile Organic Compounds	EPA 524.2
104.045	000	Trihalomethanes, Total	EPA 524.2
104.050	002	Methyl tert-butyl Ether (MTBE)	EPA 524.2
104.050	004	tert-Amyl Methyl Ether (TAME)	EPA 524.2
104.050	005	Ethyl tert-butyl Ether (ETBE)	EPA 524.2
104.050	006	Trichlorotrifluoroethane	EPA 524.2
104.055	000	Volatile Organic Compounds	EPA 524.3
104.055	021	Xylenes, Total	EPA 524.3
104.055	024	Trihalomethanes, Total	EPA 524.3
104.058	000	Volatile Organic Compounds	EPA 524.4
104.058	009	Dichloromethane	EPA 524.4
104.058	021	Xylenes, Total	EPA 524.4
104.059	000	Trihalomethanes, Total	EPA 524.4
Field of Testing: 105 - Semi-volatile Organic Chemistry of Drinking Water			
105.040	000	Chlorinated Pesticides	EPA 508
105.040	016	PCBs as Aroclors (screen)	EPA 508
105.082	009	Chlorinated Acids	EPA 515.3
105.090	000	Semi-volatile Organic Compounds	EPA 525.2
105.090	027	PCBs as Aroclors	EPA 525.2
105.091	000	Semi-volatile Organic Compounds	EPA 525.3
105.091	007	Diazinon	EPA 525.3
105.091	015	Lindane (BHC, gamma)	EPA 525.3
105.091	023	Thiobencarb	EPA 525.3
105.100	000	Carbamates	EPA 531.1
105.120	001	Glyphosate	EPA 547
105.140	001	Endothall	EPA 548.1
105.150	001	Diquat	EPA 549.2
105.170	031	Disinfection Byproducts	EPA 551.1
105.200	004	Dalapon	EPA 552.2
105.200	009	Haloacetic Acids	EPA 552.2

105.220	001	Diuron	EPA 632
105.230	002	2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) Screening O	EPA 1613

Field of Testing: 106 - Radiochemistry of Drinking Water

106.010	001	Gross Alpha and Beta Radiation	EPA 900.0
106.092	001	Uranium	EPA 200.8
106.270	001	Gross Alpha by Coprecipitation	SM7110C
106.610	001	Radon-222	SM7500-Rn

Field of Testing: 107 - Microbiology of Wastewater

107.010	001	Heterotrophic Bacteria	SM9215B
107.020	001	Total Coliform	SM9221B,C-2006
107.030	001	Total Coliform with Chlorine Present	SM9221B,C-2006
107.040	001	Fecal Coliform	SM9221C,E (MTF/EC)
107.050	001	Fecal Coliform with Chlorine Present	SM9221E-2006
107.060	001	Total Coliform	SM9222B
107.070	002	Total Coliform with Chlorine Present	SM9222B + B.5c-1997
107.080	001	Fecal Coliform	SM9222D
107.090	002	Fecal Coliform with Chlorine Present	SM9222D-1997
107.100	001	Fecal Streptococci	SM9230B
107.100	002	Enterococci	SM9230B
107.242	001	Enterococci	Enterolert
107.244	001	Enterococci	EPA 1600
107.245	001	E. coli	SM9223

Field of Testing: 108 - Inorganic Chemistry of Wastewater

108.090	001	Residue, Volatile	EPA 160.4
108.110	001	Turbidity	EPA 180.1
108.112	001	Boron	EPA 200.7
108.112	002	Calcium	EPA 200.7
108.112	003	Hardness (calculation)	EPA 200.7
108.112	004	Magnesium	EPA 200.7
108.112	005	Potassium	EPA 200.7
108.112	006	Silica	EPA 200.7
108.112	007	Sodium	EPA 200.7
108.113	001	Boron	EPA 200.8
108.113	002	Calcium	EPA 200.8
108.113	003	Magnesium	EPA 200.8
108.113	004	Potassium	EPA 200.8
108.113	005	Silica	EPA 200.8
108.113	006	Sodium	EPA 200.8
108.120	001	Bromide	EPA 300.0
108.120	002	Chloride	EPA 300.0
108.120	003	Fluoride	EPA 300.0
108.120	004	Nitrate	EPA 300.0
108.120	005	Nitrite	EPA 300.0
108.120	006	Nitrate-nitrite	EPA 300.0
108.120	008	Sulfate	EPA 300.0
108.121	001	Bromide	EPA 300.1

108.183	001	Cyanide, Total	EPA 335.4
108.200	001	Ammonia	EPA 350.1
108.211	001	Kjeldahl Nitrogen	EPA 351.2
108.232	003	Nitrate-Nitrite (as N)	EPA 353.2
108.232	004	Nitrite as N	EPA 353.2
108.260	001	Phosphate, Ortho	EPA 365.1
108.261	001	Phosphorus, Total	EPA 365.1
108.264	001	Phosphate, Ortho	EPA 365.3
108.265	001	Phosphorus, Total	EPA 365.3
108.323	001	Chemical Oxygen Demand	EPA 410.4
108.362	001	Phenols, Total	EPA 420.4
108.381	001	Oil and Grease	EPA 1664A
108.385	001	Color	SM2120B-2001
108.410	001	Alkalinity	SM2320B
108.420	001	Hardness (calculation)	SM2340B
108.430	001	Conductivity	SM2510B
108.440	001	Residue, Total	SM2540B
108.441	001	Residue, Filterable TDS	SM2540C
108.442	001	Residue, Non-filterable TSS	SM2540D
108.443	001	Residue, Settleable	SM2540F-1997
108.444	001	Temperature	SM2550B-2000
108.465	001	Chlorine, Total	SM4500-Cl G
108.465	002	Chlorine, Free	SM4500-Cl G-2000
108.473	001	Cyanide, amenable	SM4500-CN G
108.490	001	Hydrogen Ion (pH)	SM4500-H+ B
108.513	001	Kjeldahl Nitrogen, Total (as N)	SM4500-Norg D-1997
108.531	001	Dissolved Oxygen	SM4500-O G
108.560	001	Sulfite	SM4500-SO3 B
108.580	001	Sulfide	SM4500-S= D
108.590	001	Biochemical Oxygen Demand	SM5210B
108.591	001	Carbonaceous BOD	SM5210B
108.594	001	Chemical Oxygen Demand	SM5220C-1997
108.596	001	Organic Carbon-Total (TOC)	SM5310B-2000
108.597	001	Organic Carbon-Total (TOC)	SM5310C-2000
108.640	001	Surfactants	SM5540C
108.925	001	Cyanide, amenable	OIA-1677-09
108.99	001	Cyanide	ASTM D7511-09

Field of Testing: 109 - Toxic Chemical Elements of Wastewater

109.010	001	Aluminum	EPA 200.7
109.010	002	Antimony	EPA 200.7
109.010	003	Arsenic	EPA 200.7
109.010	004	Barium	EPA 200.7
109.010	005	Beryllium	EPA 200.7
109.010	007	Cadmium	EPA 200.7
109.010	009	Chromium	EPA 200.7
109.010	010	Cobalt	EPA 200.7
109.010	011	Copper	EPA 200.7

109.010	012	Iron	EPA 200.7
109.010	013	Lead	EPA 200.7
109.010	015	Manganese	EPA 200.7
109.010	016	Molybdenum	EPA 200.7
109.010	017	Nickel	EPA 200.7
109.010	019	Selenium	EPA 200.7
109.010	021	Silver	EPA 200.7
109.010	023	Thallium	EPA 200.7
109.010	024	Tin	EPA 200.7
109.010	025	Titanium	EPA 200.7
109.010	026	Vanadium	EPA 200.7
109.010	027	Zinc	EPA 200.7
109.020	001	Aluminum	EPA 200.8
109.020	002	Antimony	EPA 200.8
109.020	003	Arsenic	EPA 200.8
109.020	004	Barium	EPA 200.8
109.020	005	Beryllium	EPA 200.8
109.020	006	Cadmium	EPA 200.8
109.020	007	Chromium	EPA 200.8
109.020	008	Cobalt	EPA 200.8
109.020	009	Copper	EPA 200.8
109.020	010	Lead	EPA 200.8
109.020	011	Manganese	EPA 200.8
109.020	012	Molybdenum	EPA 200.8
109.020	013	Nickel	EPA 200.8
109.020	014	Selenium	EPA 200.8
109.020	015	Silver	EPA 200.8
109.020	016	Thallium	EPA 200.8
109.020	017	Vanadium	EPA 200.8
109.020	018	Zinc	EPA 200.8
109.020	020	Gold	EPA 200.8
109.020	021	Iron	EPA 200.8
109.020	022	Tin	EPA 200.8
109.020	023	Titanium	EPA 200.8
109.104	001	Chromium (VI)	EPA 218.6
109.190	001	Mercury	EPA 245.1
109.192	001	Mercury	EPA 245.7
109.361	001	Mercury	EPA 1631E
109.811	001	Chromium (VI)	SM3500-Cr D (18th/19th)
Field of Testing: 110 - Volatile Organic Chemistry of Wastewater			
110.040	000	Purgeable Organic Compounds	EPA 624
Field of Testing: 111 - Semi-volatile Organic Chemistry of Wastewater			
111.100	000	Acid/base/neutral Organic Compounds	EPA 625
111.101	000	Pesticides & PCBs	EPA 625
111.101	033	Adipates	EPA 625
111.101	034	Phthalates	EPA 625

111.101	036	Other Extractables	EPA 625
111.103	000	Nitrosamines	EPA 625
111.120	048	N-nitrosodimethylamine	EPA 1625B
111.170	030	Pesticides & PCBs	EPA 608
111.210	000	Carbamates	EPA 632
111.210	006	Diuron	EPA 632
Field of Testing: 112 - Radiochemistry of Wastewater			
112.010	001	Gross Alpha and Beta Radiation	EPA 900.0
Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste			
114.010	001	Antimony	EPA 6010B
114.010	002	Arsenic	EPA 6010B
114.010	003	Barium	EPA 6010B
114.010	004	Beryllium	EPA 6010B
114.010	005	Cadmium	EPA 6010B
114.010	006	Chromium	EPA 6010B
114.010	007	Cobalt	EPA 6010B
114.010	008	Copper	EPA 6010B
114.010	009	Lead	EPA 6010B
114.010	010	Molybdenum	EPA 6010B
114.010	011	Nickel	EPA 6010B
114.010	012	Selenium	EPA 6010B
114.010	013	Silver	EPA 6010B
114.010	014	Thallium	EPA 6010B
114.010	015	Vanadium	EPA 6010B
114.010	016	Zinc	EPA 6010B
114.020	001	Antimony	EPA 6020
114.020	002	Arsenic	EPA 6020
114.020	003	Barium	EPA 6020
114.020	004	Beryllium	EPA 6020
114.020	005	Cadmium	EPA 6020
114.020	006	Chromium	EPA 6020
114.020	007	Cobalt	EPA 6020
114.020	008	Copper	EPA 6020
114.020	009	Lead	EPA 6020
114.020	010	Molybdenum	EPA 6020
114.020	011	Nickel	EPA 6020
114.020	012	Selenium	EPA 6020
114.020	013	Silver	EPA 6020
114.020	014	Thallium	EPA 6020
114.020	015	Vanadium	EPA 6020
114.020	016	Zinc	EPA 6020
114.103	001	Chromium (VI)	EPA 7196A
114.106	001	Chromium (VI)	EPA 7199
114.140	001	Mercury	EPA 7470A
114.141	001	Mercury	EPA 7471A
114.222	001	Cyanide	EPA 9014

114.230	001	Sulfides, Total	EPA 9034
114.250	001	Fluoride	EPA 9056
Field of Testing: 115 - Extraction Test of Hazardous Waste			
115.020	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311
115.030	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
115.040	001	Synthetic Precipitation Leaching Procedure (SPLP)	EPA 1312
Field of Testing: 116 - Volatile Organic Chemistry of Hazardous Waste			
116.020	030	Nonhalogenated Volatiles	EPA 8015B
116.020	031	Ethanol and Methanol	EPA 8015B
116.030	001	Gasoline-range Organics	EPA 8015B
116.080	000	Volatile Organic Compounds	EPA 8260B
116.090	000	Acrylamide, Acrylonitrile, Acrolein	EPA 8316
116.100	001	Total Petroleum Hydrocarbons - Gasoline	LUFT GC/MS
116.100	010	BTEX and MTBE	LUFT GC/MS
Field of Testing: 117 - Semi-volatile Organic Chemistry of Hazardous Waste			
117.010	001	Diesel-range Total Petroleum Hydrocarbons	EPA 8015B
117.110	000	Extractable Organics	EPA 8270C
117.110	025	Carbazole	EPA 8270C
117.110	080	2-Methyl-4,6-dinitrophenol	EPA 8270C
117.111	054	Parathion Ethyl	EPA 8270C
117.111	055	Parathion Methyl	EPA 8270C
117.111	058	Sulfotepp	EPA 8270C
117.111	059	Tepp	EPA 8270C
117.111	070	PCBs	EPA 8270C
117.111	071	Pesticides	EPA 8270C
117.111	074	Adipates	EPA 8270C
117.111	076	Other Extractables	EPA 8270C
117.150	000	Carbonyl Compounds	EPA 8315A
117.171	000	Nitroaromatics and Nitramines	EPA 8330A
117.210	000	Pesticides & PCBs	EPA 8081A
117.220	000	PCBs	EPA 8082
117.240	000	Organophosphorus Pesticides	EPA 8141A
117.250	000	Chlorinated Herbicides	EPA 8151A
117.270	000	Carbamates, N-methylcarbamates	EPA 8318
Field of Testing: 120 - Physical Properties of Hazardous Waste			
120.010	001	Ignitability	EPA 1010
120.070	001	Corrosivity - pH Determination	EPA 9040B
120.080	001	Corrosivity - pH Determination	EPA 9045C
Field of Testing: 126 - Microbiology of Recreational Water			
126.010	001	Total Coliform (Enumeration)	SM9221A,B,C
126.020	001	Total Coliform (Enumeration)	SM9222A,B
126.030	001	Fecal Coliform (Enumeration)	SM9221E-2006
126.040	001	Fecal Coliform (Enumeration)	SM9222D
126.050	001	Total Coliform and E. coli	SM9223
126.070	001	Enterococci	EPA 1600

126.080	001	Enterococci	IDEXX

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/20/14 14:06
Received Date: 10/07/14 12:50

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: 6 workdays

Phone: Personal Privacy 6

Attn: Personal Pri

Fax:

Project: Arsenic Testing

P.O.#:

Dear Personal Privacy 6 :

Enclosed are the results of analyses for samples received 10/7/2014 with the Chain of Custody document. The samples were received in good condition, at 1.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J07046-01 **Sample ID: #16 Brown** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 10:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	120		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:03	rrl	W4J0456

Work Order No: 4J07046-02 **Sample ID: Ken Nitao** **Matrix: Water**
Sampled by: Personal Priv **Sampled: 10/04/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
enic, Total	76		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:08	rrl	W4J0456

ork Order No: 4J07046-03 **Sample ID: #39 Jenkins** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	3.9		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:12	rrl	W4J0456

Work Order No: 4J07046-04 **Sample ID: #13 Corby** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 13:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	4.8		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:29	rrl	W4J0456

Work Order No: 4J07046-05 **Sample ID: #28 Charles Matthiesen** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 14:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	210		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:34	rrl	W4J0456

Work Order No: 4J07046-06 **Sample ID: #37 Ramirez** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 14:45** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	11		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:38	rrl	W4J0456

Work Order No: 4J07046-07 **Sample ID: #51 Rebeling** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 16:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	38		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:55	rrl	W4J0456

Lab#: 4J07046-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

Certificate of Analysis

Work Order No: 4J07046-08 **Sample ID: #57 Ornelas** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 12:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	140		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 16:00	rrl	W4J0456

Case Narrative:

Kim Tu

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
= Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

1/8/2015

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy 6

OrderID: *1412761*

Dear: Personal Privacy 6

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, online edition, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/23/2014. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2888
EPA LAB ID: NV00932

Western Environmental Testing Laboratory
Report Comments

Contaminated Realty - 1411453

General Comments

None

Specific Comments

None

Per method recommendation (section 4.4), Samples analyzed by methods EPA 300.0 and EPA 300.1 have been filtered prior to analysis.

Report Legend

B	–	Blank contamination; Analyte detected above the method reporting limit in an associated blank
HT	–	Sample analyzed beyond the accepted holding time
J	–	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
M	–	Reported value is estimated; The sample matrix interfered with the analysis
N	–	There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
NC	–	Not calculated due to matrix interference
Q	–	Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
S	–	Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits
SC	–	Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory
QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC15010189	Blank 1	Arsenic	EPA 200.8	0.0015	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC15010189	LCS 1	Arsenic	EPA 200.8	0.0528	0.050	106	mg/L

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC15010189	MS 1	Arsenic	EPA 200.8	1412779-001	ND	0.0536	0.0536	0.050	mg/L	103	103	<1%

Customer Sample ID: Personal Privacy 6 [redacted] 12/16/2014 16:00

[redacted] **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	24	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

Customer Sample ID: Personal Privac **Collect Date/Time:** 12/16/2014 14:00

WETLAB Sample ID: 1412761-003 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	740	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 12/16/2014 08:45

WETLAB Sample ID: 1412761-004 **Receive Date:** 12/23/2014 13:10

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	37	µg/L	1	1.0	1/6/2015	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		1/6/2015	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

EXHIBIT A-6

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1064 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8699
fax (702) 622-2858
EPA LAB ID: NV00932

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 10/20/14 14:06
Received Date: 10/07/14 12:50

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: 6 workdays

Phone: Personal Privacy 6

Fax:

P.O.#:

Attn: Personal Privacy 6

Project: Arsenic Testing

Dear Jack Rosen :

Enclosed are the results of analyses for samples received 10/7/2014 with the Chain of Custody document. The samples were received in good condition, at 1.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4J07046-01 **Sample ID: #16 Brown** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 10:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	120		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:03	rrl	W4J0456

Work Order No: 4J07046-02 **Sample ID: Ken Nitao** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	76		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:08	rrl	W4J0456

Work Order No: 4J07046-03 **Sample ID: #39 Jenkins** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	3.9		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:12	rrl	W4J0456

Work Order No: 4J07046-04 **Sample ID: #13 Corby** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 13:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	4.8		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:29	rrl	W4J0456

Work Order No: 4J07046-05 **Sample ID: #28 Charles Matthiesen** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 14:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	210		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:34	rrl	W4J0456

Work Order No: 4J07046-06 **Sample ID: #37 Ramirez** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 14:45** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	11		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:38	rrl	W4J0456

Work Order No: 4J07046-07 **Sample ID: #51 Rebeling** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 10/04/14 16:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Arsenic, Total	38		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 15:55	rrl	W4J0456

CONTINUE - See page 2

Lab#: 4J07046-08

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

WECK LABORATORIES, INC.
Analytical Laboratory Service - Since 1964

Certificate of Analysis

ork Order No: 4J07046-08 **Sample ID: #57 Ornelas** **Matrix: Water**
mpled by: Personal Privacy 6 **Sampled: 10/04/14 12:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
senic, Total	140		ug/l	0.40	1	EPA 200.8	10/09/14 10:20	10/16/14 16:00	rrl	W4J0456

Case Narrative:

Authorized Signature

Contact: Kim G Tu
(Project Manager)

ELAP # 1132
LACSD # 10143
NELAC # 04229CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:
The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
NR = Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Personal Privacy 6	Project: Routine	Work Order: 14H0183
25633 Anderson Ave	Sub Project: Toxic Tort Towns / Hinkley	Received: 08/04/14 17:05
Barstow CA, 92311	Project Manager: Personal Privacy 6	Reported: 08/19/14

TOLEDO **14H0183-08 (Water)** **Sample Date:** 07/26/14 15:30 **Sampler:** Nick Panchev

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	19	ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Privacy 6 **14H0183-09 (Water)** **Sample Date:** 07/30/14 18:05 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	270	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-10 (Water)** **Sample Date:** 07/30/14 14:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	350	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **1 (Water)** **Sample Date:** 07/30/14 14:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	ND	ug/L	2.0	10	08/11/14	08/11/14	1433025	

RAIN **14H0183-12 (Water)** **Sample Date:** 07/30/14 16:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	140	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-13 (Water)** **Sample Date:** 07/31/14 10:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	66	ug/L	4.0	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-14 (Water)** **Sample Date:** 07/31/14 10:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	470	ug/L	20	10	08/15/14	08/18/14	1433586	

EXHIBIT
~~L-7~~/L-8
~~L-14~~/L-3
~~L-21~~/L-8

Exhibit "A"

CDPH
California Department of PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Clinical Laboratory of San Bernardino, Inc.

21881 Barton Road

Grand Terrace, CA 92313

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1088**

Expiration Date: **01/31/2016**

Effective Date: **02/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

Clinical Laboratory of San Bernardino, Inc.

Personal Privacy 6

Barstow CA, 92311

Sub Project: Toxic Tort Towns / Hinkley
Project Manager: Personal Privacy 6

Received: 08/04/14 17:05
Reported: 08/19/14

TOLEDO **14H0183-08 (Water)** **Sample Date:** 07/26/14 15:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	19	ug/L	2.0	10	08/11/14	08/11/14	1433025	

Personal Privacy 6 **14H0183-09 (Water)** **Sample Date:** 07/30/14 18:05 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	270	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	350	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-11 (Water)** **Sample Date:** 07/30/14 14:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Persona									
als									
senic (As)	SM3113-B	ND	ug/L	2.0	10	08/11/14	08/11/14	1433025	

IN **14H0183-12 (Water)** **Sample Date:** 07/30/14 16:30 **Sampler:** Personal Privacy 6

alyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	140	ug/L	20	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-13 (Water)** **Sample Date:** 07/31/14 10:00 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	66	ug/L	4.0	10	08/15/14	08/18/14	1433586	

Personal Privacy 6 **14H0183-14 (Water)** **Sample Date:** 07/31/14 10:30 **Sampler:** Personal Privacy 6

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
Metals									
Arsenic (As)	SM3113-B	470	ug/L	20	10	08/15/14	08/18/14	1433586	

EXHIBIT
KM L-7/L-8
L-14/L-8
L-27/L-8

Exhibit "A"

CDPH
California Department of
PublicHealth

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM BRANCH

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Weck Laboratories, Inc.

Weck Analytical Environmental Services

14859 East Clark Avenue

City of Industry, CA 91745

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1132**

Expiration Date: **03/31/2016**

Effective Date: **04/01/2014**

Richmond, California
subject to forfeiture or revocation

David Mazzera, Ph.D., Assistant Division Chief
Division of Drinking Water and Environmental Management

WECK LABORATORIES, INC.

Analytical Laboratory Service - Since 1964

Certificate of Analysis

Report Date: 09/09/14 08:37
Received Date: 08/28/14 13:32

Client: Water Investigations
848 N. Rainbow Blvd., #122
Las Vegas, NV 89107

Turnaround Time: Normal

Phone: Personal Privacy 6

Attn: Personal Privacy 6

Fax:

Project:

P.O.#:

Dear Personal Privacy 6 :

Enclosed are the results of analyses for samples received 8/28/2014 with the Chain of Custody document. The samples were received in good condition, at 4.9 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Work Order No: 4H28040-01 **Sample ID: Chromium (VI) #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 16:20** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Chromium 6+	1.9		ug/l	0.30	1	EPA 218.6	09/03/14 10:00	09/03/14 15:37	cwh	W4I0098

Work Order No: 4H28040-02 **Sample ID: Uranium #7** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:10** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	8.5		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:40	rrl	W4I0209

Work Order No: 4H28040-03 **Sample ID: Uranium #19** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:30** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	49		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:42	rrl	W4I0209

Work Order No: 4H28040-04 **Sample ID: Uranium #38** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 11:50** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	17		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:45	rrl	W4I0209

Work Order No: 4H28040-05 **Sample ID: Uranium #39** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:15** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	16		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:47	rrl	W4I0209

Work Order No: 4H28040-06 **Sample ID: Uranium #28** **Matrix: Water**
Sampled by: Personal Privacy 6 **Sampled: 08/27/14 12:35** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	19		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 14:59	rrl	W4I0209

Work Order No: 4H28040-07 **Sample ID: Uranium #21** **Matrix: Water**
Sampled by Personal Privacy 6 **Sampled: 08/27/14 13:00** **Sample Note:**

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Uranium, Total	30		ug/l	0.20	1	EPA 200.8	09/04/14 12:13	09/08/14 15:14	rrl	W4I0209

Lab#: 4H28040-09

14859 East Clark Avenue, City of Industry, California 91745-1396 (626) 336-2139 FAX (626) 336-2634
www.wecklabs.com

Exhibit "A"

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Western Environmental Testing Laboratory
Analytical Report

Contaminated Realty
848 N. Rainbow Blvd. #1422
Las Vegas, NV 89107
Attn: Personal Privacy 6
Phone: (702) 301-4167 **Fax:**
PO\Project: *31411074/TOSIC TORT TOWNS*

Date Printed: 12/5/2014
OrderID: *1411453*

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-001
Collect Date/Time: 11/13/2014 13:05
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	57	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-002
Collect Date/Time: 11/13/2014 13:30
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	46	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-003
Collect Date/Time: 11/13/2014 14:00
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	9.8	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

Customer Sample ID: Personal Privacy 6
WETLAB Sample ID: 1411453-004
Collect Date/Time: 11/13/2014 15:00
Receive Date: 11/17/2014 15:00

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	19	µg/L	1	1.0	12/1/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		12/1/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-9202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-0933
fax (775) 777-0933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8999
fax (702) 822-8388
EPA LAB ID: NV00932

Exhibit "A"

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 13:45
WETLAB Sample ID: 1411054-005 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	210	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 14:40
WETLAB Sample ID: 1411054-008 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	80	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal P **Collect Date/Time:** 11/1/2014 16:40
WETLAB Sample ID: 1411054-012 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	150	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 18:00
WETLAB Sample ID: 1411054-013 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	14	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Pr **Collect Date/Time:** 11/1/2014 17:30
WETLAB Sample ID: 1411054-014 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	58	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Exhibit "A"

CALIFORNIA
Water Boards
STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL LABORATORY ACCREDITATION

Is hereby granted to

Western Environmental Testing Laboratory

475 East Greg Street, # 119

Sparks, NV 89431

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2523**

Expiration Date: **11/30/2016**

Effective Date: **12/1/2014**

Richmond, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 13:45

WETLAB Sample ID: 1411054-005 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	210	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 14:40

WETLAB Sample ID: 1411054-008 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	80	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 16:40

WETLAB Sample ID: 1411054-012 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	150	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 18:00

WETLAB Sample ID: 1411054-013 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	14	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

Customer Sample ID: Personal Privacy 6 **Collect Date/Time:** 11/1/2014 17:30

WETLAB Sample ID: 1411054-014 **Receive Date:** 11/3/2014 11:45

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
Trace Metals by ICP-MS							
Arsenic	EPA 200.8	58	µg/L	1	1.0	11/14/2014	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		11/12/2014	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS
475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO
1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS
3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Exhibit "A"

CALIFORNIA
Water Boards

EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIQUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Lahontan Regional Water Quality Control Board

May 27, 2015

Personal Privacy 6
The People of Hinkley
Personal Privacy 6
Barstow, CA 92311
Personal Privacy 6

Response to Correspondence Received Regarding Arsenic and Uranium in Hinkley, San Bernardino County

Water Board staff has received several pieces of recent correspondence from you: letters dated April 30 and May 7, 2015; and emails dated May 4 and May 6, 2015. This letter responds to comments and concerns in your correspondence.

I. ARSENIC AND URANIUM LEVELS IN DOMESTIC WELLS IN HINKLEY AREA

Your letters and emails express concerns related to arsenic and uranium levels in wells in the Hinkley area. You assert that PG&E's remedial actions have caused such constituents in the aquifer in the Hinkley area and that the Water Board has delayed disclosure of facts or intentionally concealed or failed to warn of facts (related to levels of arsenic and uranium in the Hinkley aquifer).

Water Board staff have disclosed and discussed arsenic and uranium data as we receive or become aware of it; for example, information on arsenic and uranium is disclosed in many publically-available documents produced by both the Water Board and PG&E. These documents are available online at the State Water Resources Control Board's Geotracker database at:
http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL0607111288

or the Lahontan Water Board PG&E Hinkley Cleanup Project webpage at:
http://www.waterboards.ca.gov/lahontan/water_issues/projects/pge/index.shtml.

A partial listing of available documents includes:

- 2013 *Environmental Impact Report for Comprehensive Cleanup of Chromium in Groun*dwater (see, for example, section 3.1, Water Quality; Mitigation Measure WTR-MM-2b, "Water Supply Program for Wells Affected by Remedial Byproducts"; Mitigation Measure WTR-MM-5 "Investigate and Monitor TDS, Uranium and other Radionuclides in relation to Agricultural Treatment and Take

Contingency Actions"). Available at http://www.waterboards.ca.gov/lahontan/water_issues/projects/pge/feir.shtml.

- Water Board Investigative Order No. R6V-2012-0057, *Request for Uranium and Gross Alpha and Beta Data*, issued to PG&E on November 2, 2012.

- *Radionuclide Summary Report*, dated November 30, 2012, submitted by PG&E in response to Investigative Order No. R6V-2012-0057.

- Agricultural Treatment Unit Waste Discharge Requirements (Board Order No. R6V-2014-0023) *Groundwater Monitoring Reports*, submitted quarterly by PG&E since November 2013, containing data on uranium (among other constituents) in domestic and monitoring wells and soils in Hinkley.

- In-situ remediation zone (IRZ) Groundwater Monitoring Reports, submitted quarterly by PG&E since 2006 containing data on arsenic (among other constituents) in monitoring wells in Hinkley. The most recent report from First Quarter 2015 states that arsenic did not exceed drinking water standards in IRZ monitoring wells.

- PG&E's amended October 5, 2012 *Whole House Replacement Water Report*, dated March 1, 2013, reporting arsenic and radionuclide sampling data for domestic wells in the replacement water program.

- *Southern Agricultural Treatment Unit Water Quality*, dated February 25, 2015, submitted by PG&E, reporting irrigation and receiving water quality, including for arsenic and uranium, at the new agricultural treatment units (ATUs) near the compressor station (see tables 1 and 2).

We require monitoring for arsenic and uranium in waste discharge permits issued to PG&E by the Water Board for its remediation activities. Both arsenic and uranium occur naturally in soils and rocks in the Hinkley area. A discussion of how naturally-occurring arsenic and uranium levels could be affected by PG&E's remediation actions, and what the Water Board requires of PG&E regarding monitoring, investigating, and mitigating any impacts to domestic wells, is provided below.

Uranium

As stated in the Environmental Impact Report (EIR) prepared for the Hinkley chromium groundwater cleanup project (see, for example, pages 3.1-41 through 43), uranium is not a constituent associated with PG&E's waste discharge (uranium or its byproducts were not and are not used by PG&E in its compressor station operations, nor is uranium added to the groundwater by PG&E as part of injection of ethanol, fresh water or other compounds). Uranium is a naturally occurring radioactive element in rocks, soil, water, and plants. Naturally occurring uranium (approximately 4 parts per million) has been found in rocks in a number of locations in the Mojave Desert. Uranium and other naturally occurring radioactive materials have been detected in the Mojave River

Groundwater Basin and are likely attributed to the mineralogy of the granitic rocks observed in the lower regional aquifer.

However, under the Water Board's regulatory authority, if PG&E's remediation actions could result in discharging naturally-occurring constituents to areas where they would not have migrated to otherwise (such as to ground, or to different portions of an aquifer such that domestic wells are impacted), then the Water Board can require PG&E to monitor, investigate and clean up those impacts. In 2011, during the development of the EIR, Water Board staff became aware of a study on groundwater pumping effects on uranium levels in the San Joaquin Valley of California. In that study, a possible link was found between increased pumping for summer agricultural irrigation and the mobilization of naturally-occurring uranium to deeper aquifers tapped by irrigation supply wells (Jurgens et al [2009]. *Case Study: Effects of Groundwater Development on Uranium: Central Valley, California, USA*. National Groundwater Association and U.S. Geological Survey, California Water Science Center). Around that time, PG&E sampled several newly-acquired irrigation wells north of Highway 58 for water quality constituents, including uranium and other radionuclides. The results were reported to the Water Board in agricultural unit monitoring reports and indicated concentrations of uranium above maximum contaminant levels.

Water Board staff responded to this information in three ways:

1) In the EIR, the Water Board identified this potential for mobilizing uranium due to agricultural pumping as a potentially significant and unavoidable impact (see impact WTR-2e discussion starting on EIR page 3.1-90), and specified investigation and monitoring to determine if this was in fact occurring, or could occur in the future due to PG&E's remediation actions (see associated mitigation measures discussion starting on EIR page 3.1-109, particularly mitigation measures WTR-MM-2, -2b,- 2c,- 4, and- 5).

2) To implement the EIR requirements for uranium, the Water Board issued the Agricultural Treatment Unit Waste Discharge Requirements (ATU permit) in March 2014 requiring PG&E to sample domestic, agricultural and monitoring wells near its remediation fields, as well as soils and plants in the fields, to determine if increases in uranium occur. If domestic wells near PG&E ATUs experience increases in uranium due to PG&E's remedial pumping, then PG&E must provide the well owners replacement water. If significant increases over baseline levels of uranium in soils are detected through required monitoring, then PG&E must propose an action plan to reduce those increases.

   Further, PG&E is required to conduct an investigation of potential agricultural remediation byproducts, including uranium, to try to determine if its past agricultural treatment is affecting uranium levels (this is specified in the EIR's Mitigation Measure WTR-MM-5, which is also included as requirement in the ATU permit). If it is determined that agricultural treatment is affecting byproduct levels, then increased monitoring, replacement water for any affected wells, and restoration of water quality in the aquifer to pre-project levels following remediation are required.

It should be noted that remedial agricultural units operate exactly the same as non-remedial irrigated agricultural fields, which have existed in Hinkley since the 1920s. Thus, if it is shown that agricultural treatment is affecting uranium levels (by mobilizing natural uranium), then current agricultural activities (not related to PG&E's remediation) outside the chromium plume, as well as historical agricultural activities throughout Hinkley Valley, are also likely to have affected uranium levels.

3) The Water Board investigated uranium levels in the Hinkley aquifer through collection of existing data and through a November 12, 2012, request to PG&E for their information (Investigative Order No. R6V-2012-0057). In response to Order No. R6V-2012-0057, PG&E submitted a *Radionuclide Data Summary Report* on November 30, 2012 (available on Geotracker at http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL0607111288).

   PG&E collected limited radionuclide groundwater samples for wells associated with agricultural irrigation supply, freshwater supply, and its domestic well sampling program. Data from agricultural unit supply wells and other sampling indicated total uranium levels of 25 to 59 pCi/L, 27 to 81 pCi/L for gross alpha and below 4 to 27 pCi/L for gross beta. Upper aquifer monitoring wells had total uranium levels from 3 to 32 pCi/L, 7 to 34 pCi/L for gross alpha and 6 to 9 pCi/L for gross beta. Lower aquifer monitoring wells had dissolved uranium levels from 1 to 2 pCi/L, 3 to 4 pCi/L for gross alpha and less than 4 to 5 pCi/L for gross beta.

   Uranium data was also collected from sources other than PG&E. San Bernardino County Department of Public Health provided copies of sampling results for two Hinkley area water systems permitted by San Bernardino County in which uranium levels ranged from 4.5 to 21.4 pCi/L in 2011 and 2012 samples. The Maximum Contaminant Level (MCL) set for uranium is 20 pico curies per liter (pCi/L). The MCL for gross alpha is 15 pCi/L and for gross beta is 50 pCi/L.

To summarize, it is established by various sources that groundwater in the Mojave Desert and the Hinkley area contains uranium and other radionuclide levels that are above their respective MCLs, as you note in your correspondence. The Water Board has disclosed and discussed this information, and this information is readily publically available. However, the Water Board does not have information that uranium is the result of unauthorized waste discharges by PG&E or others. To the extent that PG&E's remediation actions may mobilize uranium to areas where it could impact domestic wells, the Water Board uses its regulatory authority to require monitoring and investigation, replacement water in some cases, and clean up or remediation, if needed.

Arsenic

Arsenic is also a naturally occurring element in Mojave Desert soils and groundwater. The US Geological Survey conducted sampling for various constituents in wells in the Mojave Water Agency management area from 1991 to 1997, including wells in the Hinkley area. Naturally-occurring arsenic concentrations in water from wells in the

western Mojave Desert commonly exceed 10 parts per billion (ppb) and some exceed 100 ppb. Along the Mojave River upgradient of the PG&E compressor station, the USGS study found arsenic in wells (up to 200 feet in depth) ranging from less than 1 ppb to 12 ppb with most concentrations under 10 ppb. North of Highway 58, the USGS study found arsenic in one well at a concentration of 52 ppb.

Water Board staff acknowledge that in-situ remediation actions (e.g., addition of ethanol to groundwater) conducted by PG&E in the area south of Highway 58 can temporarily mobilize naturally-occurring metals, including arsenic, into groundwater. Therefore, the Water Board, in its remediation permits issued to PG&E, requires monitoring and mitigation measures to ensure that such mobilization does not impact domestic wells, described below.

Starting in 2004, PG&E began pilot-testing in-situ zone (IRZ) remediation actions near its compressor station. Pilot testing involved the injection of two food-grade organic substrates (emulsified vegetable oil and sodium lactate) into groundwater to create conditions in which dissolved hexavalent chromium in groundwater is converted to solid trivalent chromium, effectively removing it from groundwater and sequestering it in aquifer sediments. The Water Board issued waste discharge permits for this pilot testing (and subsequent expanded-scale actions) in 2004, 2006 and 2008. These permits were accompanied by publically available environmental documents which disclosed that such injections would liberate and temporarily mobilize naturally-occurring metals such as arsenic, manganese and iron (called in-situ byproducts) from the aquifer soils, and specified extensive monitoring and mitigation measures to ensure that such byproducts would be contained within project boundaries and not reach domestic wells. The 2013 EIR also describes the potential for IRZ byproducts to increase in the aquifer temporarily (see impact discussion starting on EIR page 3.1-100).

As described above for uranium, if it is determined that IRZ byproducts such as arsenic may affect domestic wells, then replacement water for such wells, and restoration of water quality in the aquifer to pre-project levels in the future are required (see mitigation measures discussion starting on EIR page 3.1-109, particularly mitigation measures WTR-MM-2, -2b, -4, and -7).

Monitoring data from over six years of IRZ operation, including a byproducts investigation conducted in 2012-13, indicates that byproducts generated in the IRZ: 1) travel in the direction of groundwater flow (generally northward); 2) lessen or attenuate within project boundaries back to threshold concentrations, and 3) have not affected nearby domestic wells. Of the three dissolved metal byproducts, monitoring data indicate that manganese typically travels the farthest in groundwater compared to iron or arsenic. Groundwater movement tracer tests related to the 2012-13 investigation are still ongoing, but preliminary data from those tests support the conclusion that IRZ byproducts have not left the project area and therefore are not affecting nearby domestic wells.

Monitoring of approximately 35 domestic wells located near ATUs and IRZs for remediation byproducts is ongoing on a quarterly basis. Data from this monitoring is shown in ATU Groundwater Monitoring Reports, submitted quarterly on February 20,

May 20, August 20, and November 20 of each year. These reports are available on Geotracker at the web address noted above. IRZ quarterly monitoring reports are submitted January 15, April 15, July 15, and October 15 of each year and are also available on Geotracker.

In summary, Water Board staff has disclosed and discussed numerous sources of data regarding arsenic and uranium in the Hinkley area, and continue to require PG&E to monitor for those constituents in waste discharge permits issued for ATU and IRZ operations. Monitoring requirements are set for domestic and monitoring wells, irrigation wells, soils, and plant tissue samples. These requirements and resultant data are readily available online, or by requesting to review the Water Board's hardcopy files (see http://www.waterboards.ca.gov/lahontan/resources/public_records/index.shtml for information on Public Records Act requests).

II. PROPOSED CLEANUP AND ABATEMENT FOR WASTE CHROMIUM DISCHARGES

You are also concerned that Water Board's proposed 2015 Cleanup and Abatement Order requiring PG&E to cleanup chromium contamination due to historical releases from its Hinkley Compressor Station does not mention arsenic and uranium levels. The proposed CAO, released for public comment from January 21 to March 13, 2015, is available at http://www.waterboards.ca.gov/lahontan/water_issues/projects/pge/cao/.

As described above, the Water Board does not have evidence that PG&E's actions, either historic or current, have resulted in unauthorized waste discharges of arsenic or uranium to the groundwaters of the Hinkley aquifer or domestic wells. Therefore, it is not necessary or relevant to discuss arsenic or uranium levels in the proposed CAO. Unauthorized waste discharges of total and hexavalent chromium did occur as a result of compressor station operations in the 1950s and 1960s, and those discharges are the appropriate subject of the CAO. Further, and as described above, the Water Board, through its two permits authorizing chromium remediation activities, is requiring ongoing monitoring of arsenic and uranium to track changes due to PG&E's remediation activities and to require corrective actions when needed.

III. OTHER ISSUES RAISED IN CORRESPONDENCE

Allegations of Bias

In your May 7, 2015 letter, you state that the Water Board "should refrain to utilize any study by the USGS, on the grounds that Dr. Izbicky (sic) from USGS was paid by Pacific Gas and Electric Company, over $4 million, and therefore any such study will be legally construed as biased." You also state that the "so-called IRP Manager controlled by the private company Project Navigator, LLC, paid by Pacific Gas and Electric Company, is hereby construed by The People, as totally biased organizations (sic) . . . and must not be promulgated nor proclaimed . . . as performing task (sic) for the Community of Hinkley."

Regarding the Hinkley chromium background study conducted by Dr. Izbicki of the USGS: Dr. Izbicki's involvement in the background study came about, in large part,

through numerous requests to the Water Board and contacts to Dr. Izbicki by Hinkley residents who were adamant that any chromium background study should be conducted under the direction of the USGS, an unbiased, non-regulatory federal agency. The USGS, and Dr. Izbicki in particular, has unique expertise on the occurrence of chromium in aquifers of the Mojave Desert, and has developed specialized techniques to investigate the sources of chromium in groundwater. The Water Board and PG&E share the Hinkley residents' desire to leverage the unbiased expertise of the USGS in determining background chromium levels in the Hinkley Valley.

Funds for the USGS background study were deposited by PG&E into a trust account held by the State Water Resources Control Board. This allowed the Water Board to enter into an independent contract with the USGS to develop workplans and conduct groundwater investigation activities in the Hinkley area to assess background levels of chromium in groundwater. Water Board staff oversee the contract with the USGS, and the State Water Board issues payment to the USGS once Water Board staff approves USGS's invoices for work. PG&E has no role whatsoever in the disbursement of actual payments to the USGS for the background study work. Once PG&E's funds were deposited into the State Water Board's trust account, those funds became under the sole control of the state of California, and PG&E has no control or influence over the disbursement of such funds.

Water Board staff have gone to great lengths executing the contract with the USGS to ensure that the results of the background study are unbiased, acceptable to the community, and based on the best available science, methods and analysis.

Regarding the Independent Review Panel (IRP) Manager, Project Navigator: Project Navigator staff is under contract to PG&E, and paid by PG&E directly. However, members of the Hinkley community, primarily through the Hinkley Community Advisory Committee, provide input on the scope of work each year. Project Navigator's work products are developed in collaboration with the Hinkley Community Advisory Committee. Project Navigator's primary role is to provide technical assistance to Hinkley residents, so they may understand and provide comments on many items, including reports from PG&E and orders from the Water Board.

Request for Government Employee to Witness Sampling

In an email dated May 4, 2015 and letters dated April 30 and May 7, 2015, you request that a government employee (assuming to be Water Board staff) be present to witness sampling conducted by you of the Hinkley aquifer at up to 35 locations, including private property (assuming at residents' drinking water wells); and you also state that the Board must order testing of 35 injection-extraction-monitoring wells operated by PG&E for unfiltered arsenic and uranium.

Individual private well owners are responsible for conducting sampling of their own wells or authorizing access to others for the purpose of conducting the sampling. Sampling of monitoring wells constructed and owned by PG&E, must be done only by PG&E or others with permission and authorization from PG&E. Anyone accessing PG&E monitoring wells without PG&E's permission is committing an illegal activity.

We note that under current monitoring requirements issued to PG&E, analysis for arsenic and uranium are run as "dissolved" concentrations. Samples collected from wells by PG&E are filtered before analysis to remove any solids that may interfere with sample analysis (the USGS uses this same procedure). This is the appropriate method for assessing contaminant levels in an aquifer.

As described above, sampling for arsenic and uranium is ongoing (and has been occurring for some time) at domestic, monitoring, and remediation wells in Hinkley. Water Board staff rely on data collected by PG&E's consultants under its various Water Board-issued permits, cleanup and abatement orders, and investigative orders. PG&E is required to follow quality assurance/quality control protocols and use professionals and laboratories licensed by the state of California to collect and analyze data, and must report its results under the penalty of perjury. At this time, we do not see the need to duplicate PG&E's monitoring of their remediation wells.

The State and regional water boards do not sample private domestic wells. If it is determined that sampling of private wells is necessary as part of an investigation of potential contamination by a human activity, the water boards will require sampling by the discharger's consultant, and generally would not conduct the sampling itself. Private well owners are responsible for sampling (or hiring professionals to sample) their own wells. We do not have the resources to oversee a private effort such as yours to conduct domestic well sampling when there is no evidence to suggest illegal discharges of waste have occurred. For more information on sampling your well, please see "A Guide for Private Domestic Well Owners" produced by the State Water Resources Control Board, revised April 2011, found at this web address: http://www.waterboards.ca.gov/gama/docs/wellowner_guide.pdf

Please contact me at 530-542-5436 lauri.kemper@waterboards.ca.gov if you have any questions or need more information.

Lauri Kemper

LAURI KEMPER, PE
ASSISTANT EXECUTIVE OFFICER

cc via email:

Ross Sevy, District Director, Office of Jay Obernolte, Assemblyman
(ross.sevy@asm.ca.gov)
A. Ramirez, City of Barstow Police Department
(aramirez@barstow.ca.org)
Corwin Porter, San Bernardino Cty Dept of Public Health, Div. of Env. Health Svcs
(corwin.porter@dph.sbcounty.gov)
Jon Marhoefer, Captain, San Bernardino County Sheriff, Barstow/Trona Station
(jmarhoefer@sbcsd.org)
Sean McCarthy, SWRCB Department of Drinking Water
(Sean.McCarthy@cdph.ca.gov)
George Alexeeff, Director, Cal/EPA Office of Env. Health Hazard Assessment
(George.Alexeeff@oehha.ca.gov)

Steve Koyasako, Assistant Chief Counsel, California DTSC
(steve.koyasako@dtsc.ca.gov)
Gita Kapahi, SWRCB, Office of Public Participation
(Gita.kapahi@waterboards.ca.gov)
Ryan Camero, California Highway Patrol
(rcamero@chp.ca.gov rcamara@chp.ca.gov)
Dr. John Izbicki, USGS
(jaizbick@usgs.gov)
Diane Trujillo, Enforcement, CAL/EPA
(Diane.trujillo@calepa.ca.gov)
Arsenio Mataka, Enforcement, CAL/EPA
(Arsenio.Mataka@calepa.ca.gov)
Dr. Raudel Sanchez, Project Navigator, LLC
(rsanchez@projectnavigator.com)
Kim Niemeyer, SWRCB, Office of Chief Counsel
(kim.niemeyer@waterboards.ca.gov)
Lori Okun, SWRCB, Office of Chief Counsel
(Lori.Okun@waterboards.ca.gov)
Michael Lauffer, SWRCB, Office of Chief Counsel
(michael.lauffer@waterboards.ca.gov)
Patty Kouyoumdjian, Executive Officer, Lahontan Water Board
(patty.kouyoumdjian@waterboards.ca.gov)
Jay Cass, Lahontan Water Board, Victorville office
(jehiel.cass@waterboards.ca.gov)
Gary Edward Tavetian, Supervising Deputy Attorney General, California Office of Attorney General, Department of Justice
(gtavetian@doj.ca.gov)
Dr. Ian Webster, Project Navigator, LLC
(iwebster@projectnavigator.com)
Kevin Sullivan, PG&E
(KMSu@pge.com)

MLK/ma/T: Personal Privacy 6
File Under: 6B369107001

SUMMARY OF EXHIBITS PAA-1 THROUGH PAA-10

(Points and Authorities Exhibits (PAA) in Support of the SAC)

State of California Lahontan Regional Water Quality Control Board ("the Board"), has sent numerous Clean Up and Abatement Orders, Notices and other papers to the Defendants Pacific Gas and Electric Company, (PG&E), since April 2011 to present, in regards to contamination of aquifers beneath the town of Hinkley, CA 92347 and of the residents domestic water wells in Hinkley, CA 92347, seeking investigations and disclosures of the byproducts Arsenic and Uranium, including other radionuclides such as Gross Alpha and Gross Beta Radiation, that are as a direct result thereof PG&E's "In-Situ and Agricultural Treatment Operations". Excerpts from these orders, notices and Papers, highlighted in yellow color, are introduced herein as an additional Points and Authorities (PAA) in support thereof the Second Amended Complaint (SAC), as well as analysis of such excerpts, in summary, as follows:

1. EXHIBIT "PAA-1": Paragraph "*13. Constituents of Concern The discharge of extracted groundwater to agricultural treatment units contains waste chromium origination from the compressor station. Extracted groundwater also contains total dissolved solids, nitrate, naturally-occuring uranium and other radionuclides, and naturally-occurring dissolved metal, such as arsenic, manganese, an iron."*
"This order also requires monitoring of uranium and other radionuclides to determinethe potential for these constituents to be transported or mobilized due to pumping for remediation purposes."

Analysis: Here, it is clear that the Board had acknowledged that PG&E's agricultural operations are prone to disturb the Uranium and Arsenic in the aquifers and due to extracted ground water which contains Uranium and Arsenic, are also prone to contaminate by a plume carrying ("mobilized or transported") such constituents, and did ordered PG&E to monitor, such events, however, to date no evidence exist that the Defendants had complied with such order, thus are concealing such fact.

2. EXHIBIT "PAA-2": Paragraph *"21. Constituents of Concern The Constituents of Concern (COCs) consist of total chromium (Cr(T) and hexavalent chromium (Cr(VI). Potential constituents of include...., and naturally-occurring reducible metals, such as arsenic...."*

Analysis: Here, it is clear that the Board had again acknowledged that the Arsenic is a constituent of concern, being a subject of a problem metal ("reducible metal") . By this requirements, the Board is demanding from the "Discharger" Pacific Gas and Electric Company that PG&E must disclose the Constituents of Concern, which, to date did not occur and that the Board requirements do not expire.

3. EXHIBIT "PAA-3": *"INVESTIGATION ORDER NO. R6V-2012-0057 REQUEST FOR URANIUM AND GROSS ALPHA AND BETA RADIATION DATA, PACIFIC GAS AND ELECTRI COMPANY (PG&E), HINKLEY COMPRESSOR STATION, SAN BERNARDINO COUNTY Background ....Data in quarterly gross alpha , and gross beta radiation at concentration exceeding drinking water standard of 20 picocuries per liter (pCi/L), 15 pCi/L, and 50 pCi/L, respectively."*

Analysis: Here, this time on November 2, 2012, thereafter the initial Board's orders since April 2011, the Defendant PG&E did not comply with this order requirements to submit report by November 30, 2012, which triggers not only avoidance issue, but concealment of fact, that the aquifers are poisoned with radionuclides, (resulted therfrom decay of the Uranium) and the fact that the Board did not further proceed with further seeking and demanding full and unconditional further disclosure from PG&E, is another evidence of silencing the facts of poisoned aquifers with radionuclides, thus an accomplice.

4. EXHIBIT "PAA-4": The Water Board: *"FOLLOW-UP ON MAY 16, 2013 REGARDING REQUIREMENTS....WITHIN ONE-MILE... The original ...CAO defines "affected area" to include all domestic wells within one mile..."*

Analysis: Here, the State of California Lahontan Regional Water Quality Control Board, reiterates that all domestic water wells within one mile of the affected area are to be include in the affected area, thus, any domestic water well within one mile from any real estate properties owned by PG&E that are contaminated, are considered affected, and therefore any contaminated aquifers beneath real properties owned by PG&E throughout Hinkley, CA 92347 that are poisoned with Arsenic and Uranium, is considered to affect any aquifers beneath domestic water wells within the one mile from poisoned with Arsenic and Uranium real properties owned by the Defenadnts Pacific Gas and Electric Company. Regardless of this reminder, to date, the Defendants avoided to adhere to such reminder and therefore such avoidance should be construed as silencing the issue of poisoned aquifers, each within one mile.

5. EXHIBIT "PAA-5": Lahontan Regional Water Quality Control Board Order on May 24, 2013 *"INVESTIGATIVE ORDER NO. R6V-2013-0041 Enforcement The need for this investigation outweighs the burden on PG&E to produce information in that radionuclide data will assist in evaluating potential threats to public health in the environmental impact report that could result from PG&E's proposed cleanup activities."*

Analysis: Here, the Board's Investigation Order and Enforcement, demanded data on radionuclides, which could affect the environmental impact report, which in fact, now must be null and void, since PG&E avoided to produce the radionuclides data prior to date that was due, and therefore such concealment of data acts by Defendant PG&E, triggers the act of conspiracy to defraud all Plaintiffs.

6. EXHIBIT "PAA-6": Board's rejection to PG&E's requests, issued on February 19, 2014: *"Upon careful consideration, the Water Board has decided not make changes....wells located between the southern plume and Dixie road are needed to monitor the eastern plume...especially be needed upon implementation of future ATUs."* (ATSs means Agricultural Treatment Units, which caused poisoning of the Aquifers with Arsenic / Uranium)

Analysis: Here, the Board finally commenced to decline PG&E's requests to avoid testing areas such as the eastern area, however the Board did not proceed further to enforce testing the eastern area.

7. EXHIBIT "PAA-7": Board's Comments dated February 25, 2014 *"Reporting PG&E shall fully discuss and describe all corrective actions implemented in the western area to reduce chromium concentration in groundwater".*

Analysis: Here, the Board is stipulating that PG&E is not addressing the Board's concerns that, just like the eastern area (Eastern area is east of Dixie Road), the western area (Western area is west of Hinkley Road), lacks, as well, corrective actions, and that the "concentration in groundwater" (concentration in groundwater represents the water in the aquifers, poisoned with the chromium plume), thus PG&E has again avoided to clean poisonous substances in the Eastern and Western areas.

8. EXHIBIT "PAA-8": Notice by the Board: *"NOTICE OF INCOMPLETE REPORT...."* Paragraph *"9. Domestic and Agricultural Supply Wells Potentially Affected by Agricultural Byproducts..." "Remedial actions include groundwater movement due to remedial pumping, as well as increases in byproduct concentration due to percolation of irrigation water from ATUs."*

Paragraph "10. Domestic and Agricultural Supply Wells Potentially Affected...triggering analysis for increases in arsenic, manganese, uranium..."

Analysis: Here, it is absolutely clear that the Board identified the causes of contamination with Arsenic and Uranium, being PG&E's Agricultural Operations and of contaminated aquifers *("groundwater").*

9. EXHIBIT "PAA-9": Statement by Chief Executive Officer from State of California Lahontan Regional Water Quality Control Board, Dated July 18, 2014, highlighted in yellow color, found therein Exhibit "PAA-9", implies that the drinking water from the aquifers beneath the town Hinkley, CA 92347, **is safe to drink**. Such statement was based upon PG&E's 4-years of presentations to the Board.

Analysis: Such statement is absolutely **incriminating**, in light that the aquifers tested via all of the Plaintiffs' domestic water wells were all poisoned with Arsenic and Uranium, thus the water **is not safe**.

10. EXHIBIT "PAA-10": Letter from the Board to *Kevin Sullivan, Director Pacific Gas and Electric Company*, dated December 16, 2014, stipulating "impacted wells and baseline for....uranium.."

Analysis: Here, end of 2014, 60-years wrangling saga continue and with wanton **concealment of facts**.